



PUBLICATIONS AND COMMUNICATIONS

OCTOBER 3RD, 2008



FibroScan[®]

<http://www.echosens.com>
communication@echosens.com

PUBLICATIONS

- Fung, J., C. L. Lai, et al.** Correlation of liver biochemistry with liver stiffness in chronic hepatitis B and development of a predictive model for liver fibrosis. *Liver International* 2008; *In Press*.
- Yoshioka, K., N. Kawabe, et al.** Transient elastography: Applications and limitations. *Hepatology Research* 2008; *In Press*.
- Corradi, F., F. Piscaglia, et al.** Assessment of liver fibrosis in transplant recipients with recurrent HCV infection: Usefulness of transient elastography. *Digestive & Liver Disease* 2008; *In Press*.
- Chan, H. L., G. L. Wong, et al.** Alanine aminotransferase-based algorithms of liver stiffness measurement by transient elastography (Fibroscan) for liver fibrosis in chronic hepatitis B. *Journal of viral hepatitis* 2008; *In Press*.
- Marcellin, P., M. Ziol, et al.** Non-invasive assessment of liver fibrosis by stiffness measurement in patients with chronic hepatitis B. *Liver International* 2008; *In Press*.
- Lemoine, M., S. Katsahian, et al.** Liver stiffness measurement as a predictive tool of clinically significant portal hypertension in patients with compensated HCV or alcohol-related cirrhosis. *Alimentary Pharmacology & Therapeutics* 2008; *In Press*.
- Arena, U., F. Vizzutti, et al.** Reliability of transient elastography for the diagnosis of advanced fibrosis in chronic hepatitis C. *Gut* 2008;57(9):1288-1293.
- Wong, G. L., V. W. Wong, et al.** Assessment of Fibrosis by Transient Elastography Compared With Liver Biopsy and Morphometry in Chronic Liver Diseases. *Clinical Gastroenterology & Hepatology* 2008;6(9):1227-35.
- Yoneda, M., M. Yoneda, et al.** Noninvasive assessment of liver fibrosis by measurement of stiffness in patients with nonalcoholic fatty liver disease (NAFLD). *Digestive and Liver Disease* 2008;40(5):371-378.
- Leroy, V. and J. P. Zarski.** Clinical applicability of non-invasive markers for liver fibrosis in chronic hepatitis C. *J Hepatol* 2008;48(5):881-883.
- Manning, D. S. and N. H. Afdhal.** Diagnosis and quantitation of fibrosis. *Gastroenterology* 2008;134(6):1670-81.
- Van Leeuwen, D. J., C. Balabaud, et al.** A clinical and histopathologic perspective on evolving noninvasive and invasive alternatives for liver biopsy. *Clinical Gastroenterology and Hepatology* 2008;6(5):491-6.
- Gomez-Dominguez, E., J. Mendoza, et al.** Transient elastography to assess hepatic fibrosis in primary biliary cirrhosis. *Alimentary Pharmacology & Therapeutics* 2008;27(5):441-7.
- Castellares, C., P. Barreiro, et al.** Liver cirrhosis in HIV-infected patients: prevalence, aetiology and clinical outcome. *Journal of viral hepatitis* 2008;15(3):165-72.
- Friedrich-Rust, M., C. Koch, et al.** Noninvasive assessment of liver fibrosis in patients with Fontan circulation using transient elastography and biochemical fibrosis markers. *J Thorac Cardiovasc Surg* 2008;135(3):560-7.
- de Ledinghen, V., T. Poynard, et al.** [Non-invasive evaluation of liver fibrosis in hepatitis C]. *Gastroenterologie Clinique et Biologique* 2008;32(3 Pt 2):S90-5.
- Han, K. H. and K. T. Yoon.** New diagnostic method for liver fibrosis and cirrhosis. *Intervirology* 2008;51 Suppl 1:11-6.
- Tatsumi, C., M. Kudo, et al.** Noninvasive evaluation of hepatic fibrosis using serum fibrotic markers, transient elastography (FibroScan) and real-time tissue elastography. *Intervirology* 2008;51 Suppl 1:27-33.
- Rosa, H. and E. R. Parise.** Is there a place for serum laminin determination in patients with liver disease and cancer? *World Journal of Gastroenterology* 2008;14(23):3628-32.
- Sporea, I., A. Popescu, et al.** Why, who and how should perform liver biopsy in chronic liver diseases. *World Journal of Gastroenterology* 2008;14(21):3396-402.
- Panos, G., P. Holmes, et al.** Transient elastography, liver stiffness values, and acute hepatopathy. *Hepatology* 2008;47(6):2140; author reply 2141.
- Lupsor, M., R. Badea, et al.** Analysis of histopathological changes that influence liver stiffness in chronic hepatitis C. Results from a cohort of 324 patients. *Journal of Gastrointestinal and Liver Diseases* 2008;17(2):155-63.
- de Ledinghen, V., P. Barreiro, et al.** Liver fibrosis on account of chronic hepatitis C is more severe in HIV-positive than HIV-negative patients despite antiretroviral therapy. *Journal of viral hepatitis* 2008;15(6):427-33.
- Talwalkar, J. A.** Elastography for detecting hepatic fibrosis: options and considerations. *Gastroenterology* 2008;135(1):299-302.

- Jacqueminet, S.,** P. Lebray, et al. Screening for liver fibrosis by using a noninvasive biomarker in patients with diabetes. *Clinical Gastroenterology and Hepatology* 2008;6(7):828-31.
- de Franchis, R.** Non-invasive (and minimally invasive) diagnosis of oesophageal varices. *Journal of Hepatology* 2008;49(4):520-7.
- Huwart, L.,** C. Sempoux, et al. Magnetic resonance elastography for the noninvasive staging of liver fibrosis. *Gastroenterology* 2008;135(1):32-40.
- Boursier, J.,** A. Konate, et al. Learning curve and interobserver reproducibility evaluation of liver stiffness measurement by transient elastography. *European Journal of Gastroenterology & Hepatology* 2008;20(7):693-701.
- Song, Z. Z.** Acute viral hepatitis increases liver stiffness values measured by transient elastography. *Hepatology* 2008;48(1):349-50; author reply 350.
- Fartoux, L.** and L. Serfaty. Évaluation de la fibrose hépatique : place respective de la biopsie hépatique, du FibroScan® et du FibroTest® ? . *La Lettre de l'Infectiologie* 2008;XXIII(1):15-20.
- Rigamonti, C.,** M. F. Donato, et al. Transient elastography predicts fibrosis progression in patients with recurrent hepatitis c after liver transplantation. *Gut* 2008;57(6):821-827.
- Harada, N.,** Y. Soejima, et al. Assessment of graft fibrosis by transient elastography in patients with recurrent hepatitis C after living donor liver transplantation. *Transplantation* 2008;85(1):69-74.
- Abenavoli, L.,** G. Addolorato, et al. Elastography assessment in patients with chronic HCV infection. *Internal Journal of Clinical Practice* 2008.
- Roulot, D.,** S. Czernichow, et al. Liver stiffness values in apparently healthy subjects: Influence of gender and metabolic syndrome. *Journal of Hepatology* 2008;48(4):606-613.
- Rockey, D. C.** Noninvasive assessment of liver fibrosis and portal hypertension with transient elastography. *Gastroenterology* 2008;134(1):8-14.
- Castera, L.,** X. Forns, et al. Non-invasive evaluation of liver fibrosis using transient elastography. *J Hepatol* 2008;48(5):835-847.
- de Franchis, R.,** A. Dell'era, et al. Diagnosis and monitoring of portal hypertension. *Digestive Liver Disease* 2008;40(5):312-7.
- Sagir, A.,** A. Erhardt, et al. Transient elastography is unreliable for detection of cirrhosis in patients with acute liver damage. *Hepatology* 2008;47(2):592-5.
- Arena, U.,** F. Vizzutti, et al. Acute viral hepatitis increases liver stiffness values measured by transient elastography. *Hepatology* 2008;47(2):380-4.
- Pinzani, M.,** F. Vizzutti, et al. Technology Insight: noninvasive assessment of liver fibrosis by biochemical scores and elastography. *Nat Clin Pract Gastroenterol Hepatol* 2008;5(2):95-106.
- Cobbold, J. F.** and S. D. Taylor-Robinson. Transient elastography in acute hepatitis: All that's stiff is not fibrosis. *Hepatology* 2008;47(2):370-2.
- Baranova, A.** and Z. M. Younossi. The future is around the corner: Noninvasive diagnosis of progressive nonalcoholic steatohepatitis. *Hepatology* 2008;47(2):373-5.
- Adhoute, X.,** J. Foucher, et al. Diagnosis of liver fibrosis using FibroScan and other noninvasive methods in patients with hemochromatosis: a prospective study. *Gastroenterologie Clinique et Biologique* 2008;32(2):180-7.
- Laharie, D.,** E. Terrebbonne, et al. [The liver and methotrexate]. *Gastroenterologie Clinique et Biologique* 2008;32(2):134-42.
- Nguyen-Khac, E.,** D. Chatelain, et al. Assessment of asymptomatic liver fibrosis in alcoholic patients using fibroscan: prospective comparison with 7 non-invasive laboratory tests. *Alimentary Pharmacology & Therapeutics* 2008.
- Lemoine, M.,** S. Katsahian, et al. Liver stiffness measurement as a predictive tool of clinically significant portal hypertension in patients with compensated HCV or alcohol-related cirrhosis. *Alimentary Pharmacology & Therapeutics* 2008; *in press*.
- Kotlyar, D. S.,** W. Blonski, et al. Noninvasive monitoring of hepatitis C fibrosis progression. *Clinics in liver disease* 2008;12(3):557-71.
- Masuzaki, R.,** R. Tateishi, et al. Risk assessment of hepatocellular carcinoma in chronic hepatitis C patients by transient elastography. *Journal of Clinical Gastroenterology* 2008;42(7):839-43.
- Nobili, V.,** F. Vizzutti, et al. Accuracy and reproducibility of transient elastography for the diagnosis of fibrosis in pediatric nonalcoholic steatohepatitis. *Hepatology* 2008;48(2):442-8.
- Fung, J.,** C. L. Lai, et al. Prevalence of fibrosis and cirrhosis in chronic hepatitis B: Implications for treatment and management. *The American Journal of Gastroenterology* 2008;103(6):1421-6.
- Chang, J. P.,** H. F. Lui, et al. Prospective evaluation of transient elastography for the diagnosis of hepatic fibrosis in Asians: comparison with liver biopsy and

- aspartate transaminase platelet ratio index (APRI). *Alimentary Pharmacology & Therapeutics* 2008;28(1):51-61.
- Bureau, C.**, S. Metivier, et al. Clinical trial: transient elastography accurately predicts the presence of significant portal hypertension in patients with chronic liver disease. *Alimentary Pharmacology & Therapeutics* 2008;27(12):1261-1228.
- Cobbold, J. F.** and S. D. Taylor-Robinson. Liver stiffness values in healthy subjects: Implications for clinical practice. *J Hepatol* 2008;48(4):529-31.
- Friedrich-Rust, M.**, M. F. Ong, et al. Performance of transient elastography for the staging of liver fibrosis: a meta-analysis. *Gastroenterology* 2008;134(4):960-74.
- Jung, M. K.**, H. J. Cho, et al. [Comparison of transient elastography and hepatic fibrosis assessed by histology in chronic liver disease.]. *The Korean Journal of Gastroenterology* 2008;51(4):241-7.
- Li, L. F.**, L. Dai, et al. [Factors influencing the success rate and stability of transient elastography for liver fibrosis evaluation]. *Nan Fang Yi Ke Da Xue Xue Bao* 2008;28(4):595-7.
- Mirault, T.**, D. Lucidarme, et al. Non-invasive assessment of liver fibrosis by transient elastography in post transfusional iron overload. *European Journal of Haematology* 2008;80(4):337-40.
- Cainelli, F.** Hepatitis C virus infection in the elderly: epidemiology, natural history and management. *Drugs Aging* 2008;25(1):9-18.
- Maida, I.**, P. Garcia-Gasco, et al. Antiretroviral-associated portal hypertension: a new clinical condition? Prevalence, predictors and outcome. *Antiviral Therapy* 2008;13(1):103-7.
- Sheldon, J.**, B. Ramos, et al. Does treatment of hepatitis B virus (HBV) infection reduce hepatitis delta virus (HDV) replication in HIV-HBV-HDV-coinfected patients? *Antiviral Therapy* 2008;13(1):97-102.
- Yeshua, H.** and R. Oren. Non invasive assessment of liver fibrosis. *Annals of Transplantation* 2008;13(2):5-11.
- Castera, L.** Comment évaluer la sévérité de l'atteinte hépatique au cours de l'hépatite chronique B à l'ère des marqueurs non invasifs de fibrose ? *Hépatogastro* 2007;14(numéro spécial):23-28.
- Cobbold, J. F.**, S. Morin, et al. Transient elastography for the assessment of chronic liver disease: Ready for the clinic? *World Journal of Gastroenterology* 2007;13(36):4791-7.
- Shaheen, A. A.**, A. F. Wan, et al. FibroTest and FibroScan® for the Prediction of Hepatitis C-Related Fibrosis: A Systematic Review of Diagnostic Test Accuracy. *American Journal of Gastroenterology* 2007:1-12.
- Vergara, S.**, J. Macias, et al. The use of transient elastometry for assessing liver fibrosis in patients with HIV and hepatitis C virus coinfection. *Clinical Infectious Diseases* 2007;45(8):969-74.
- Talwalkar, J. A.**, D. M. Kurtz, et al. Ultrasound-based transient elastography for the detection of hepatic fibrosis: systematic review and meta-analysis. *Clinical Gastroenterology and Hepatology* 2007;5(10):1214-20.
- Malik, R.** and N. Afdhal. Stiffness and impedance: the new liver biomarkers. *Clinical Gastroenterology and Hepatology* 2007;5(10):1144-6.
- de Ledinghen, V.**, B. Le Bail, et al. Liver stiffness measurement in children using FibroScan®: feasibility study and comparison with Fibrotest, aspartate transaminase to platelets ratio index, and liver biopsy. *Journal of Pediatric Gastroenterology and Nutrition* 2007;45(4):443-50.
- Friedrich-Rust, M.** and S. Zeuzem. Nicht invasive beurteilung des leberfibrosestadiums mit der transienten elastografie (Fibroscan®): Aktueller stand und perspektiven [*Transient elastography (Fibroscan®) for the non-invasive assessment of liver fibrosis: current status and perspectives*]. *Zeitschrift für Gastroenterologie* 2007;45(5):387-94.
- Kim, K. M.**, W. B. Choi, et al. Diagnosis of hepatic steatosis and fibrosis by transient elastography in asymptomatic healthy individuals: a prospective study of living related potential liver donors. *Journal of Gastroenterology* 2007;42(5):382-8.
- Vizzutti, F.**, U. Arena, et al. Liver stiffness measurement predicts severe portal hypertension in patients with HCV-related cirrhosis. *Hepatology* 2007;45(5):1290-7.
- Lim, J. K.** and R. J. Groszmann. Transient elastography for diagnosis of portal hypertension in liver cirrhosis: is there still a role for hepatic venous pressure gradient measurement? *Hepatology* 2007;45(5):1087-90.
- Coco, B.**, F. Oliveri, et al. Transient elastography: a new surrogate marker of liver fibrosis influenced by major changes of transaminases. *Journal of viral hepatitis* 2007;14(5):360-9.
- Dib, N.**, A. Sawadogo, et al. Évaluation non invasive de la fibrose hépatique au cours des co-infections VIH et VHC et/ou VHB. [*Noninvasive evaluation of liver fibrosis in patients coinfecting with HIV and HCV and/or HBV*]. *Journal Africain d'Hépatogastroentérologie* 2007;1(1):54-58.

- Rendina, M., A. Schena, et al.** The treatment of chronic hepatitis C with peginterferon alfa-2a (40 kDa) plus ribavirin in haemodialysed patients awaiting renal transplant. *Journal of Hepatology* 2007;46(5):768-74.
- Castera, L.** Intérêt de l'élastométrie (FibroScan®) pour l'évaluation non invasive de la fibrose hépatique [*Use of elastometry (FibroScan®) for the non-invasive staging of liver fibrosis*]. *Gastroenterologie Clinique et Biologique* 2007;31(5):524-30.
- KIM, H. S., K. K. JA, et al.** Non-invasive assessment of liver fibrosis by measuring the liver stiffness and biochemical markers in chronic hepatitis B patients. *The Korean Journal of Medicine* 2007;72(5):459-469.
- Berrutti, M., A. Ciancio, et al.** Assessment of liver fibrosis in the clinical setting: something is changing? *Minerva Gastroenterologica e Dietologica* 2007;53(1):111-4.
- Castera, L., J. Denis, et al.** Evolving practices of non-invasive markers of liver fibrosis in patients with chronic hepatitis C in France: time for new guidelines? *Journal of Hepatology* 2007;46(3):528-9; author reply 529-30.
- Sebastiani, G. and A. Alberti.** Non-invasive markers of liver fibrosis: How to use them in clinical practice? *Journal of Hepatology* 2007;46:528-530.
- Halfon, P., M. Bourlière, et al.** Intérêt et limites des méthodes non invasives de prédiction de la fibrose hépatique au cours de l'hépatite C: une alternative à la biopsie hépatique. [*Noninvasive methods for predicting liver fibrosis in patients with chronic hepatitis C: alternatives to liver biopsy*]. *La Presse Médicale* 2007;36(3 Pt 2):457-66.
- Castera, L.** Le FibroScan® : un nouvel outil pour l'évaluation non invasive de la fibrose au cours des maladies chroniques du foie [*FibroScan®: a new tool for non-invasive assessment of fibrosis in chronic liver disease*]. *Hépatogastro* 2007;14(2).
- Friedrich-Rust, M., M. F. Ong, et al.** Real-time elastography for noninvasive assessment of liver fibrosis in chronic viral hepatitis. *American Journal of Roenterology* 2007;188(3):758-64.
- Rigamonti, C. and M. Fraquelli.** Do not trivialize the FibroScan® examination, value its accuracy. *Journal of Hepatology* 2007;46(6):1149.
- Berends, M. A., J. Snoek, et al.** Biochemical and biophysical assessment of MTX-induced liver fibrosis in psoriasis patients: Fibrotest predicts the presence and Fibroscan® predicts the absence of significant liver fibrosis. *Liver International* 2007;27(5):639-45.
- Cho, S. W. and J. Y. Cheong.** Clinical application of non-invasive diagnosis for hepatic fibrosis. *Korean Journal of Hepatology* 2007;13(2):129-37.
- Maida, I., V. Soriano, et al.** Liver fibrosis stage and HCV genotype distribution in HIV-HCV coinfecting patients with persistently normal transaminases. *AIDS Research and Human Retroviruses* 2007;23(6):801-4.
- Ogawa, E., N. Furusyo, et al.** Transient elastography for patients with chronic hepatitis B and C virus infection: non-invasive, quantitative assessment of liver fibrosis. *Hepatology Research* 2007;37(12):1002-10.
- Fraquelli, M., C. Rigamonti, et al.** Reproducibility of transient elastography in the evaluation of liver fibrosis in patients with chronic liver disease. *Gut* 2007;56(7):968-73.
- Fraquelli, M. and C. Rigamonti.** Diagnosis of cirrhosis by transient elastography: What is hidden behind misleading results. *Hepatology* 2007;46(1):282.
- Al-Ghamdi, A. S.** FibroScan®: A noninvasive test of liver fibrosis assessment. *The Saudi Journal of Gastroenterology* 2007;13(3):147-149.
- Arends, J. E., R. J. de Knegt, et al.** Diagnostic of hepatic fibrosis and cirrhosis. *Nederlands Tijdschrift Voor Geneeskunde* 2007;151(27):1502-6.
- Lörke, J., A. Erhardt, et al.** Non-invasive investigation of liver cirrhosis. *Deutsches Ärzteblatt* 2007;24(104):1752-7.
- de Franchis, R. and A. Dell'Era.** Non-invasive diagnosis of cirrhosis and the natural history of its complications. *Best Practice & Research Clinical Gastroenterology* 2007;21(1):3-18.
- Carrion, J. A., J. Colmenero, et al.** Diagnostico no invasivo de la fibrosis hepatica. *Gastroenterologia y Hepatologia* 2007;30(Suppl. 1):106-112.
- Posthouwer, D., E. P. Mauser-Bunschoten, et al.** Significant liver damage in patients with bleeding disorders and chronic hepatitis C: non-invasive assessment of liver fibrosis using transient elastography. *Journal of Thrombosis and Haemostasis* 2007;5(1):25-30.
- de Ledingen, V., P. Trimoulet, et al.** Outbreak of hepatitis C virus infection during sclerotherapy of varicose veins: long-term follow-up of 196 patients (4535 patient-years). *Journal of Hepatology* 2007;46(1):19-25.
- Nguyen-Khac, E.** Résultats et place du FibroScan® dans le diagnostic non invasif de la fibrose hépatique [*Results and place of FibroScan® in the noninvasive diagnosis of liver fibrosis*]. *La Revue de médecine interne* 2007;28(2):94-102.

- Adams, L. A.** and P. Angulo. Role of liver biopsy and serum markers of liver fibrosis in non-alcoholic fatty liver disease. *Clinics in liver disease* 2007;11(1):25-35.
- Abenavoli, L., C. Corpechot, et al.** Elastography in hepatology. *Canadian Journal of Gastroenterology* 2007;21(12):839-42.
- Kang, J. K., J. Y. Cheong, et al.** [Liver stiffness measurement for the diagnosis of hepatic fibrosis in patients with chronic viral hepatitis.]. *Korean Journal of Hepatology* 2007;13(4):521-9.
- Stauber, R. E.** and C. Lackner. Noninvasive diagnosis of hepatic fibrosis in chronic hepatitis C. *World Journal of Gastroenterology* 2007;13(32):4287-94.
- Talwalkar, J. A.** Methodologic issues with transfer of ultrasound-based transient elastography into clinical practice. *Journal of Hepatology* 2007;47(2):301-2.
- Wieckowska, A., A. J. McCullough, et al.** Noninvasive diagnosis and monitoring of nonalcoholic steatohepatitis: Present and future. *Hepatology* 2007;46(2):582-9.
- Kettaneh, A., P. Marcellin, et al.** Features associated with success rate and performance of FibroScan® measurements for the diagnosis of cirrhosis in HCV patients: a prospective study of 935 patients. *Journal of Hepatology* 2007;46(4):628-34.
- Afdhal, N. H.** and M. Curry. Technology evaluation: a critical step in the clinical utilization of novel diagnostic tests for liver fibrosis. *Journal of Hepatology* 2007;46(4):543-5.
- Yoneda, M., M. Yoneda, et al.** Transient elastography in patients with nonalcoholic fatty liver disease (NAFLD). *Gut* 2007;56(9):1330-1.
- Lamproye, A., J. Belaiche, et al.** [The FibroScan®: a new non invasive method of liver fibrosis evaluation]. *Revue Médicale de Liege* 2007;62:68-72.
- Fujirawa, S., Y. Hongou, et al.** Relationship between liver fibrosis noninvasively measured by FibroScan® and blood test. *Bulletin of the Osaka Medical College* 2007;2(53):93-105.
- Maida, I., V. Soriano, et al.** Liver fibrosis in HIV-infected patients with chronic hepatitis B extensively exposed to antiretroviral therapy with anti-HBV activity. *HIV Clinical Trials* 2006;7(5):246-50.
- Murtagh, J.** and V. Foerster. La quantification non invasive de la fibrose hépatique par élastographie impulsionnelle ultrasonore (FibroScan®) [Transient elastography (FibroScan®) for noninvasive assessment of liver fibrosis]. *Notes sur les technologies de la santé en émergence* 2006;(90).
- Abenavoli, L., L. Leggio, et al.** La valutazione della fibrosi epatica nella pratica clinica [Evaluation of liver fibrosis in clinical practice]. *Recenti Progressi in Medicina* 2006;97(9):481-5.
- Guechot, J.** Noninvasive assessment of liver fibrosis in patients with chronic hepatitis virus C [Evaluation non invasive de la fibrose hépatique au cours des hépatites chroniques virales C]. *La Presse Médicale* 2006;35(9 Pt 2):1317-26.
- McHutchinson, J., T. Poynard, et al.** Fibrosis as an end point for clinical trials in liver disease: a report of the international fibrosis group. *Clinical Gastroenterology and Hepatology* 2006;4(10):1214-1220.
- Stanciu, C., A. Trifan, et al.** Transient elastography--an alternative to liver biopsy in patients with chronic hepatitis C? *Revista medico-chirurgicală a Societății de Mediciși Naturaliști din Iași* 2006;110(4):765-70.
- Corpechot, C., A. El Naggar, et al.** Assessment of biliary fibrosis by transient elastography in patients with PBC and PSC. *Hepatology* 2006;43(5):1118-1124.
- Verveer, C.** and R. J. de Knegt. Non-invasive measurement of liver fibrosis: application of the FibroScan® in hepatology. *Scandinavian Journal of Gastroenterology* 2006;41(Suppl 243):85-88.
- Carrion, J. A., M. Navasa, et al.** Transient elastography for diagnosis of advanced fibrosis and portal hypertension in patients with hepatitis C recurrence after liver transplantation. *Liver Transplantation* 2006;12:1791-1797.
- Luo, J. W., J. H. Shao, et al.** Using non-invasive transient elastography for the assessment of hepatic fibrosis. *Zhonghua Gan Zang Bing Za Zhi* 2006;14(5):395-7.
- Cherry, K.** Accurate detection of cirrhosis by transient elastography. *Gastroenterologia y Hepatologia* 2006;3:243-4.
- Beaugrand, M.** How to assess liver fibrosis and for what purpose? *Journal of Hepatology* 2006;44(3):444-445.
- Soriano, V., M. Nunez, et al.** Chronic hepatitis C in HIV-infected patients: those who more need therapy are those who respond less. *Infect Disord Drug Targets* 2006;6(1):57-88.
- Laharie, D., F. Zerbib, et al.** Diagnosis of liver fibrosis by transient elastography (FibroScan®) and non-invasive methods in Crohn's disease patients treated with methotrexate. *Alimentary Pharmacology & Therapeutics* 2006;23(11):1621-8.
- Maida, I., M. Nunez, et al.** Severe liver disease associated with prolonged exposure to antiretroviral drugs. *Journal of Acquired Immune Deficiency Syndromes* 2006;42(2):177-82.

- Masaki, N.**, M. Imamura, et al. Usefulness of elastometry in evaluating the extents of liver fibrosis in hemophiliacs coinfecting with hepatitis C virus and human immunodeficiency virus. *Hepatology Research* 2006;35(2):135-9.
- Lemoine, M.** Place et perspectives du diagnostic par le Fibroscan® [*Place and perspectives of diagnosis using Fibroscan®*]. *Gastroenterologie Pratique* 2006.
- Kawamoto, M.**, T. Mizuguchi, et al. Assessment of liver fibrosis by a noninvasive method of transient elastography and biochemical markers. *World Journal of Gastroenterology* 2006;12(27):4325-4330.
- Moreno-Otero, R.**, M. Trapero-Marugan, et al. Liver fibrosis assessment by transient elastography in hepatitis C patients with normal alanine aminotransferase. *Gut* 2006;55(7):1055-6.
- Barreiro, P.**, P. Labarga, et al. Sustained virological response following HCV therapy is associated with non-progression of liver fibrosis in HCV/HIV-coinfecting patients. *Antiviral Therapy* 2006;11(7):869-77.
- Mendoza, J.**, E. Gomez-Dominguez, et al. Elastografia de transición (Fibroscan®), un nuevo método no invasivo en la valoración de la fibrosis hepática [*Transient elastography (FibroScan®), a new non-invasive method to evaluate hepatic fibrosis*]. *Medicina Clínica* 2006;126(6):220-2.
- de Ledinghen, V.**, C. Douvin, et al. Diagnosis of hepatic fibrosis and cirrhosis by transient elastography (FibroScan®) in HIV-hepatitis C virus-coinfecting patients. *Journal of Acquired Immune Deficiency Syndromes* 2006;41(2):175-179.
- Castera, L.**, J. Foucher, et al. FibroScan® and FibroTest to assess liver fibrosis in HCV with normal aminotransferases. *Hepatology* 2006;43(2):373-374.
- Ganne-Carrie, N.**, M. Ziol, et al. Accuracy of liver stiffness measurement for the diagnosis of cirrhosis in patients with chronic liver diseases. *Hepatology* 2006;44(6):1511-1517.
- Erhardt, A.**, J. Lorke, et al. Transiente Elastografie zur Diagnose der Leberzirrhose [*Transient elastography for diagnosing liver cirrhosis*]. *Deutsche medizinische Wochenschrift* 2006;131(49):2765-9.
- Takeda, T.**, T. Yasuda, et al. Usefulness of noninvasive transient elastography for assessment of liver fibrosis stage in chronic hepatitis C. *World Journal of Gastroenterology* 2006;12(48):7768-73.
- Nahon, P.**, G. Thabut, et al. Liver stiffness measurement versus clinicians' prediction or both for the assessment of liver fibrosis in patients with chronic hepatitis C. *The American Journal of Gastroenterology* 2006;2744-2751.
- Nguyen-Khac, E.** and D. Capron. Noninvasive diagnosis of liver fibrosis by ultrasonic transient elastography (FibroScan®). *European Journal of Gastroenterology & Hepatology* 2006;18(12):1321-5.
- Gomez-Dominguez, E.**, J. Mendoza, et al. Transient elastography: a valid alternative to biopsy in patients with chronic liver disease. *Alimentary Pharmacology & Therapeutics* 2006;24(3):513-8.
- Bosch, J.** Predictions from a hard liver. *Journal of Hepatology* 2006;45(2):174-177.
- Corpechot, C.**, A. El Naggar, et al. Gender and liver: Is the liver stiffness weaker in weaker sex? *Hepatology* 2006;44(2):513-514.
- Kazemi, F.**, A. Kettaneh, et al. Liver stiffness measurement selects patients with cirrhosis at risk of bearing large oesophageal varices. *Journal of Hepatology* 2006;45(2):230-5.
- Foucher, J.**, L. Castera, et al. Prevalence and factors associated with failure of liver stiffness measurement using FibroScan® in a prospective study of 2114 examinations. *European Journal of Gastroenterology & Hepatology* 2006;18(4):411-2.
- Barreiro, P.**, L. Martin-Carbonero, et al. Predictors of liver fibrosis in HIV-infected patients with chronic hepatitis C virus (HCV) infection: assessment using transient elastometry and the role of HCV genotype 3. *Clinical Infectious Diseases* 2006;42(7):1032-1039.
- Beaugrand, M.** Fibroscan®: instructions for use. *Gastroentérologie Clinique & Biologique* 2006;30(4):513-4.
- Colletta, C.**, C. Smirne, et al. Value of two noninvasive methods to detect progression of fibrosis among HCV carriers with normal aminotransferases. *Hepatology* 2005;42(4):838-845.
- Ghany, M. G.** and E. Doo. Assessment of liver fibrosis: palpate, poke or pulse? *Hepatology* 2005;42(4):759-761.
- Sogni, P.**, D. Salmon-Ceron, et al. Management of cirrhosis complications in HIV patients coinfecting with hepatitis B or C virus [*Prise en charge des complications de la cirrhose chez les patients VIH co-infectés par une hépatite virale B ou C*]. *La Presse Médicale* 2005;34(20 Pt 2):1579-83.
- Kelleher, T. B.** and N. Afdhal. Noninvasive assessment of liver fibrosis. *Clinics in liver disease* 2005;9(4):667-683.
- Blanc, J-F.**, P. Bioulac-Sage, et al. Investigation of liver fibrosis in clinical practice. *Hepatology Research* 2005;32(1):1-8.

- Foucher, J., E. Chanteloup, et al.** Diagnosis of cirrhosis and its complications by transient elastography (FibroScan®) : a prospective study. *Gut* 2005;55(3):403-408.
- Melin, P., A. Dacon, et al.** Dépistage non invasif de la fibrose : Intérêt du FibroScan® en consultation d'alcoologie [Noninvasive screening of fibrosis: interest of FibroScan® in alcohol addiction consultation]. *Alcoologie et Addictologie* 2005;27(3):191-196.
- Sandrin, L., C. Fournier, et al.** FibroScan® : un outil non invasif de mesure de la dureté du foie par élastométrie [FibroScan®: a noninvasive device that measures liver stiffness by transient elastography]. *ITBM-RBM* 2005;27(1):25-31.
- Ziol, M., A. Handra-Luca, et al.** Non-invasive assessment of liver fibrosis by stiffness measurement: a prospective multicentre study in patients with chronic hepatitis C. *Hepatology* 2005;41(1):48-54.
- Castera, L., J. Vergniol, et al.** Prospective comparison of transient elastography, Fibrotest, APRI and liver biopsy for the assesment of fibrosis in chronic hepatitis C. *Gastroenterology* 2005;128:343-350.
- Oberti, F.** Diagnostic de fibrose : l'élastométrie doit encore faire ses preuves [Fibrosis diagnosis: still needs to prove itself]. *Transcriptases* 2005;(121).
- Saito, H., S. Tada, et al.** Efficacy of non-invasive elastometry on staging of hepatic fibrosis. *Hepatology Research* 2004;29(2):97-103.
- Sandrin, L., B. Fourquet, et al.** Transient elastography: a new non-invasive method for assessment of hepatic fibrosis. *Ultrasound in Medicine and Biology* 2003;29(12):1705-1713.

INTERNATIONAL COMMUNICATIONS

- Gailhouste, L. and D. Guyader.** Multiphoton microscopy by second harmonic generation: a new tool for fibrillar collagen quantification in liver fibrosis. 59th Annual Meeting of the American Association for the Study of Liver Disease. Oct. 31st-Nov. 4, 2008, San Francisco, CA, USA.
- Choi, J., D. Kim, et al.** Clinical usefulness of liver stiffness measurement in HBeAg-positive chronic hepatitis B patients with ALT level < 2 times upper limit of normal. 59th Annual Meeting of the American Association for the Study of Liver Disease. Oct. 31st-Nov. 4, 2008, San Francisco, CA, USA.
- Erhardt, A., J. Schadewaldt, et al.** Transient elastography is superior to routine screening tests for detection of liver cirrhosis. 59th Annual Meeting of the American Association for the Study of Liver Disease. Oct. 31st-Nov. 4, 2008, San Francisco, CA, USA.
- Verveer, C., P. E. Zondervan, et al.** The presence of additional diagnoses in patients with chronic hepatitis B and C. Histological evaluation of liver biopsies used for correlation with transient elastography in 257 patients. 59th Annual Meeting of the American Association for the Study of Liver Disease. Oct. 31st-Nov. 4, 2008, San Francisco, CA, USA.
- Fraquelli, M., C. Rigamonti, et al.** A sequential predictive algorithm combining APRI and transient elastography (TE) for diagnosing liver fibrosis in chronic hepatitis C. 59th Annual Meeting of the American Association for the Study of Liver Disease. Oct. 31st-Nov. 4, 2008, San Francisco, CA, USA.
- Kim, J., Y. Park, et al.** Autologous bone marrow cell infusion increased serum albumin and activated the liver progenitor cell compartment in patients with advanced liver cirrhosis 59th Annual Meeting of the American Association for the Study of Liver Disease. Oct. 31st-Nov. 4, 2008, San Francisco, CA, USA.
- Cardoso, A. F., C. Stern, et al.** Sustained virological response is associated with decrease in liver stiffness using FibroScan® in patients with HCV related cirrhosis. 59th Annual Meeting of the American Association for the Study of Liver Disease. Oct. 31st-Nov. 4, 2008, San Francisco, CA, USA.
- Rudler, M., P. Cluzel, et al.** Transient elastography (FibroScan®) and hepatic venous pressure gradient measurement in patients with cirrhosis and gastrointestinal haemorrhage related to portal hypertension. 59th Annual Meeting of the American Association for the Study of Liver Disease. Oct. 31st-Nov. 4, 2008, San Francisco, CA, USA.
- Rigamonti, C., M. Donato, et al.** Transient elastography (TE) detects graft damage in liver transplanted (LT) patients with aetiologies other than HCV. 59th Annual Meeting of the American Association for the Study of Liver Disease. Oct. 31st-Nov. 4, 2008, San Francisco, CA, USA.

the Study of Liver Disease. Oct. 31st-Nov. 4, 2008, San Francisco, CA, USA.

Reiberger, T., A. Ferlitsch, et al. Identification of preclinical portal hypertension and staging of fibrosis by transient elastography. 59th Annual Meeting of the American Association for the Study of Liver Disease. Oct. 31st-Nov. 4, 2008, San Francisco, CA, USA.

Lebray, P., S. Varnous, et al. Detection of cirrhosis in heart transplant candidates. Interest of non invasive diagnosis methods and short term survival. 59th Annual Meeting of the American Association for the Study of Liver Disease. Oct. 31st-Nov. 4, 2008, San Francisco, CA, USA.

Camma', C., S. Petta, et al. Portal hypertension in HCV cirrhosis is associated with insulin resistance. 59th Annual Meeting of the American Association for the Study of Liver Disease. Oct. 31st-Nov. 4, 2008, San Francisco, CA, USA.

Poynard, T., P. Lebray, et al. Screening for advanced fibrosis using non-invasive biomarkers, FibroTest (FT), and FibroScan® (FS) in a community based population. 59th Annual Meeting of the American Association for the Study of Liver Disease. Oct. 31st-Nov. 4, 2008, San Francisco, CA, USA.

Tanwandee, T., P. Charatcharoenwiththaya, et al. Utility of liver stiffness measured by transient elastography for determining significant liver fibrosis in patients with chronic hepatitis B. 59th Annual Meeting of the American Association for the Study of Liver Disease. Oct. 31st-Nov. 4, 2008, San Francisco, CA, USA.

Lim, S., J. Cheong, et al. Changes in liver stiffness during entecavir therapy in patients with chronic hepatitis B. 59th Annual Meeting of the American Association for the Study of Liver Disease. Oct. 31st-Nov. 4, 2008, San Francisco, CA, USA.

Abergel, A., C. Bonny, et al. FibroScan® measures according to intercostal space: validity and agreement. 59th Annual Meeting of the American Association for the Study of Liver Disease. Oct. 31st-Nov. 4, 2008, San Francisco, CA, USA.

Kim, S., D. Kim, et al. The impact of steatosis on liver stiffness measurement using FibroScan® in patients with hepatitis B virus-related chronic liver disease in Korea. 59th Annual Meeting of the American Association for the Study of Liver Disease. Oct. 31st-Nov. 4, 2008, San Francisco, CA, USA.

Kim, S., D. Kim, et al. Different cutoff values according to ALT level may increase the diagnostic performance of liver stiffness

measurement using FibroScan® in patients with hepatitis B virus-related chronic liver disease. 59th Annual Meeting of the American Association for the Study of Liver Disease. Oct. 31st-Nov. 4, 2008, San Francisco, CA, USA.

Schlosser, B., A. Felder, et al. Prospective comparison of transient elastography, ultrasound, APRI and liver biopsy for diagnosis of hepatic fibrosis in a real world population with different forms of chronic liver diseases. 59th Annual Meeting of the American Association for the Study of Liver Disease. Oct. 31st-Nov. 4, 2008, San Francisco, CA, USA.

Friedrich-Rust, M., C. Mueller, et al. Evaluation of different non-invasive methods for assessment of liver fibrosis in primary biliary cirrhosis (PBC): a comparative study using FibroScan®, MRI, MR-spectroscopy and serum fibrosis markers. 59th Annual Meeting of the American Association for the Study of Liver Disease. Oct. 31st-Nov. 4, 2008, San Francisco, CA, USA.

Hezode, C., L. Castera, et al. Prospective evaluation of liver stiffness dynamics during and after peginterferon alpha-ribavirin treatment in patients with chronic hepatitis C. 59th Annual Meeting of the American Association for the Study of Liver Disease. Oct. 31st-Nov. 4, 2008, San Francisco, CA, USA.

Shin, J., S. Kim, et al. Can liver stiffness measurement be a predictive factor for the development of hepatocellular carcinoma in hepatitis virus-related chronic liver disease? 59th Annual Meeting of the American Association for the Study of Liver Disease. Oct. 31st-Nov. 4, 2008, San Francisco, CA, USA.

Colombo, S., L. Belloli, et al. Liver Stiffness values in the normal population: a study in voluntary blood donors. 59th Annual Meeting of the American Association for the Study of Liver Disease. Oct. 31st-Nov. 4, 2008, San Francisco, CA, USA.

Reddy, C. M., S. Gaddam, et al. Does BMI influence transient elastography readings? 59th Annual Meeting of the American Association for the Study of Liver Disease. Oct. 31st-Nov. 4, 2008, San Francisco, CA, USA.

Grünhage, F., A. Höblinger, et al. TRAF1-C5 as risk locus for severe hepatic fibrosis in chronic liver diseases. 59th Annual Meeting of the American Association for the Study of Liver Disease. Oct. 31st-Nov. 4, 2008, San Francisco, CA, USA.

Castera, L., M. Haaser, et al. Prevalence and causes of discordance between FibroScan® and Fibrotest for first-line assessment of liver fibrosis in chronic

- hepatitis C (CHC): A prospective analysis over 4 years in 3148 patients. 59th Annual Meeting of the American Association for the Study of Liver Disease. Oct. 31st-Nov. 4, 2008, San Francisco, CA, USA.
- Schiefke, I., M. Wiese, et al.** Correlation of transient elastography (FibroScan®) and hepatic artery doppler sonography in patients 30 years after single source hepatitis C genotype 1B outbreak in Germany. 59th Annual Meeting of the American Association for the Study of Liver Disease. Oct. 31st-Nov. 4, 2008, San Francisco, CA, USA.
- Klibansky, D., P. G. Blanco, et al.** Liver stiffness predicts clinical outcomes in patients with chronic liver disease. 59th Annual Meeting of the American Association for the Study of Liver Disease. Oct. 31st-Nov. 4, 2008, San Francisco, CA, USA.
- Friedrich-Rust, M., K. Wunder, et al.** Acoustic radiation force elastography versus transient elastography for non-invasive assessment of liver fibrosis in viral hepatitis: a new alternative? 59th Annual Meeting of the American Association for the Study of Liver Disease. Oct. 31st-Nov. 4, 2008, San Francisco, CA, USA.
- Goetze, O., A. Grau, et al.** Combination of 13C-methacetin breath test by online molecular correlation spectroscopy and transient elastography improves diagnostic performance of non-invasive fibrosis assessment in chronic hepatitis C. 59th Annual Meeting of the American Association for the Study of Liver Disease. Oct. 31st-Nov. 4, 2008, San Francisco, CA, USA.
- Cross, T. J., V. Calvaruso, et al.** Evaluation of transient elastography and King's score for the diagnosis of fibrosis in patients with chronic hepatitis C infection. 59th Annual Meeting of the American Association for the Study of Liver Disease. Oct. 31st-Nov. 4, 2008, San Francisco, CA, USA.
- di Marco, V., A. Iacò, et al.** Transient Elastography (TE) as a tool to evaluate acute liver damage: a prospective, multicentric cohort study. 59th Annual Meeting of the American Association for the Study of Liver Disease. Oct. 31st-Nov. 4, 2008, San Francisco, CA, USA.
- Martinez, M., M. Bruguera, et al.** A simple diagnostic algorithm to evaluate liver fibrosis in patients with chronic hepatitis CS. 59th Annual Meeting of the American Association for the Study of Liver Disease. Oct. 31st-Nov. 4, 2008, San Francisco, CA, USA.
- Seo, Y., E. Jung, et al.** Liver stiffness measurement and serum markers for predicting significant fibrosis in chronic hepatitis B. 59th Annual Meeting of the American Association for the Study of Liver Disease. Oct. 31st-Nov. 4, 2008, San Francisco, CA, USA.
- Alric, L., N. Kamar, et al.** Comparison of liver stiffness, FibroTest and liver biopsy for the assessment of liver fibrosis in renal transplant patient with chronic viral hepatitis. 59th Annual Meeting of the American Association for the Study of Liver Disease. Oct. 31st - Nov. 4, 2008, San Francisco, CA, USA.
- Arima, Y., N. Kawabe, et al.** Reduction of liver stiffness by interferon treatment for chronic hepatitis C measured by transient elastography. 59th Annual Meeting of the American Association for the Study of Liver Disease. Oct. 31st - Nov. 4, 2008, San Francisco, CA, USA.
- Kim, J., H. Yim, et al.** Difference of liver stiffness after acute or chronic liver injury due to viral hepatitis. 59th Annual Meeting of the American Association for the Study of Liver Disease. Oct. 31st - Nov. 4, 2008, San Francisco, CA, USA.
- Verveer, C., B. E. Hansen, et al.** Diagnostic accuracy of transient elastography: a comparison between chronic hepatitis B and C correlated with optimal-length liver biopsies. 59th Annual Meeting of the American Association for the Study of Liver Disease. Oct. 31st - Nov. 4, 2008, San Francisco, CA, USA.
- Calvaruso, V., C. Cammà, et al.** Error factors for transient elastography in chronic hepatitis C. 59th Annual Meeting of the American Association for the Study of Liver Disease. Oct. 31st - Nov. 4, 2008, San Francisco, CA, USA.
- Calvaruso, V., C. Cammà, et al.** Error factors for transient elastography in chronic hepatitis C. 50th Anniversary/Meeting of the International Association for the Study of Liver. Oct 31st-Nov. 2nd, 2008, San Francisco, CA, USA.
- Banasch, M., M. Ellrichmann, et al.** The non-invasive 13C-methionine breath test differentiates histopathological stages in patients with non-alcoholic steatohepatitis. 50th Anniversary/Meeting of the International Association for the Study of Liver. Oct 31stNov. 2nd, 2008, San Francisco, CA, USA.
- Maor, Y., P. Halfon, et al.** Fibrotest or FibroScan® for evaluation of liver fibrosis in hemophilia patients infected with hepatitis C. 50th Anniversary/Meeting of the International Association for the Study of Liver. Oct 31st-Nov. 2nd, 2008, San Francisco, CA, USA.
- Rudler, M., P. Cluzel, et al.** Transient elastography (FibroScan®) and hepatic venous pressure gradient measurement

in patients with cirrhosis and gastrointestinal haemorrhage related to portal hypertension. 50th Anniversary/Meeting of the International Association for the Study of Liver. Oct 31st-Nov. 2nd, 2008, San Francisco, CA, USA.

- Castera, L., M. Haaser, et al.** Prevalence and causes of discordance between FibroScan® and Fibrotest for first-line assessment of liver fibrosis in chronic hepatitis c (CHC): a prospective analysis over 4 years in 3148 patients. 50th Anniversary/Meeting of the International Association for the Study of Liver. Oct 31st-Nov. 2nd, 2008, San Francisco, CA, USA.
- Tokumo, H., Y. Asamoto, et al.** Probuocol, a lipid-lowering agent with strong antioxidant properties, improves both clinical and histological findings in patients with non-alcoholic fatty liver disease. 50th Anniversary/Meeting of the International Association for the Study of Liver. Oct 31st-Nov. 2nd, 2008, San Francisco, CA, USA.
- Sandrin, L., S. Yon, et al.** Transient elastography: changing clinical practice in hepatology. Acoustics'08 Paris. June 29-July 4, 2008, Palais des Congrès, Paris.
- Bastard, C., J. Oudry, et al.** Transient elastography in heterogeneous tissues. Acoustics'08 Paris. June 29-July 4, 2008, Palais des Congrès, Paris.
- Sasso, M., V. Miette, et al.** Improvements in liver diseases evaluation using transient elastography for obese patients. Acoustics'08 Paris. June 29-July 4, 2008, Palais des Congrès, Paris.
- Fung, J., D. But, et al.** Increase in liver stiffness measurements in severe hepatitis B flares. 43rd Annual Meeting of the European Association for the Study of the Liver April 23rd-27 2008, Milano, ITALY.
- Lupsor, M., H. Stefanescu, et al.** The influence of fatty load on liver stiffness in chronic hepatitis C patients. 43rd Annual Meeting of the European Association for the Study of the Liver April 23rd-27 2008, Milano, ITALY.
- Klemmensen Mössner, B., T. Riis Jørgensen, et al.** Outreach screening of drug users with FibroScan® identifies a high proportion of severe fibrosis not previously recognized. 43rd Annual Meeting of the European Association for the Study of the Liver April 23rd-27 2008, Milano, ITALY.
- Carrion, J. A., X. Forns, et al.** Early assessment of liver stiffness identifies two different patterns of liver fibrosis progression in patients with hepatitis C recurrence after liver transplantation. 43rd Annual Meeting of the European Association for the Study

of the Liver. April 23rd-27, 2008, Milano, ITALY.

- Terrebbonne, E., J. Foucher, et al.** Usefulness of carbohydrate-deficient transferrin (CDT), according to the severity of liver fibrosis, in 2227 patients with chronic liver diseases. A prospective study. 43rd Annual Meeting of the European Association for the Study of the Liver. April 23rd-27, 2008, Milano, ITALY.
- Roulot, D., S. Czernichow, et al.** Is liver stiffness measurement an appropriate screening method to detect liver fibrosis in the general population? 43rd Annual Meeting of the European Association for the Study of the Liver April 23rd-27, 2008, Milano, ITALY.
- Arena, U., F. Vizzutti, et al.** Transient elastography (TE) is more effective for the identification of HCV patients with advanced (F3-F4) rather than significant (F2-F4) liver fibrosis. 43rd Annual Meeting of the European Association for the Study of the Liver April 23rd-27, 2008, Milano, ITALY.
- Chang, P. E. J., H. F. Lui, et al.** A prospective study of the diagnostic accuracy of transient elastography (FibroScan®) in the evaluation of hepatic fibrosis in Asians compared with liver biopsy and APRI. 43rd Annual Meeting of the European Association for the Study of the Liver April 23rd-27, 2008, Milano, ITALY.
- Marin-Gabriel, J. C., J. B. De-la-Cruz, et al.** Failure of liver stiffness measurement with FibroScan®: prevalence and determinants. 43rd Annual Meeting of the European Association for the Study of the Liver April 23rd-27, 2008, Milano, ITALY.
- Cobbold, J. F., N. Patel, et al.** Early haemodynamic responses to Interferon therapy in patients with chronic liver disease using contrast-enhanced ultrasound: regulation by hepatic stellate cells? 43rd Annual Meeting of the European Association for the Study of the Liver April 23rd-27, 2008, Milano, ITALY.
- Chan, H. L. Y., G. L. H. Wong, et al.** Transient elastography (FibroScan®) can detect advanced liver fibrosis best among patients with normal alanine transaminase. 43rd Annual Meeting of the European Association for the Study of the Liver April 23rd-27, 2008, Milano, ITALY.
- Wong, V. W., G. L. Wong, et al.** Combination of the median and variability of liver stiffness measurements by transient elastography improves the accuracy of diagnosing advanced fibrosis in nonalcoholic fatty liver disease. 43rd Annual Meeting of the European Association for the Study of the Liver April 23rd-27, 2008, Milano, ITALY.

- Kim, S. U., J. U. Park, et al.** Prediction of postoperative hepatic insufficiency using liver stiffness measurement (FibroScan®) before curative resection of hepatocellular carcinoma: a pilot study. 43rd Annual Meeting of the European Association for the Study of the Liver April 23rd -27, 2008, Milano, ITALY.
- Marion, D., F. Bailly, et al.** Comparative study of transient elastometry and hepatic vein transit time of a ultrasound contrast agent in fibrosing liver disease. 43rd Annual Meeting of the European Association for the Study of the Liver April 23rd -27, 2008, Milano, ITALY.
- Yoon, K. T., J. K. Kim, et al.** Effect of inflammatory activity on the liver stiffness measurement in chronic hepatitis B patients. 43rd Annual Meeting of the European Association for the Study of the Liver April 23rd -27, 2008, Milano, ITALY.
- Floares, A., M. Lupsor, et al.** Toward intelligent virtual biopsy: using artificial intelligence to predict fibrosis stage in chronic hepatitis C patients without biopsy. 43rd Annual Meeting of the European Association for the Study of the Liver. April 23rd -27, 2008, Milano, ITALY.
- Si Ahmed, S. N., W. Mansour, et al.** Impact of B+Delta viruses co infection on the liver stiffness measurement (LSM) by transient elastography. 43rd Annual Meeting of the European Association for the Study of the Liver April 23rd -27, 2008, Milano, ITALY.
- Abergel, A., C. Bonny, et al.** FibroScan® measures according to intercostal space: validity and concordance. 43rd Annual Meeting of the European Association for the Study of the Liver April 23rd -27, 2008, Milano, ITALY.
- Fraquelli, M., C. Rigamonti, et al.** Independent predictors of discordance between transient elastography (TE) and liver biopsy (LB). 43rd Annual Meeting of the European Association for the Study of the Liver April 23rd -27, 2008, Milano, ITALY.
- Labarga, P., M. E. Vispo, et al.** Rescue therapy with optimized peg-interferon plus Ribavirin in HIV/HCV coinfecting patients: critical role of Ribavirin plasma levels in the pilot-nr trial. 43rd Annual Meeting of the European Association for the Study of the Liver April 23rd -27, 2008, Milano, ITALY.
- Marin-Gabriel, J. C., J. B. De-la-Cruz, et al.** Transient elastography (FibroScan®) in hepatitis C native liver vs. liver transplant recipients with recurrence: diagnostic performance and predictors of advanced fibrosis. 43rd Annual Meeting of the European Association for the Study of the Liver April 23rd -27, 2008, Milano, ITALY.
- Bergmann, J. F., C. Verveer, et al.** FibroScan® superior to Apri in detecting significant liver fibrosis in chronic hepatitis B and C patients. 43rd Annual Meeting of the European Association for the Study of the Liver April 23rd -27, 2008, Milano, ITALY.
- Ferlitsch, A., M. Homoncik, et al.** Surveillance of Thiopurine induced nodular regenerative hyperplasia in patients with inflammatory bowel disease by transient elastography (FibroScan®) of the liver. 43rd Annual Meeting of the European Association for the Study of the Liver April 23rd -27, 2008, Milano, ITALY.
- Roudot-Thoraval, F., D. Ouzan, et al.** Liver fibrosis assessment in chronic hepatitis C: evolution of clinical practice in a large cohort of 4546 patients between 2003 and 2006. 43rd Annual Meeting of the European Association for the Study of the Liver April 23rd -27, 2008, Milano, ITALY.
- Balmer, M. L., J. Joneli, et al.** Value of serum adiponectin levels in patients with chronic liver disease. 43rd Annual Meeting of the European Association for the Study of the Liver April 23rd -27, 2008, Milano, ITALY.
- Rallon, N. I., M. Lopez, et al.** Relationship between the stage of liver fibrosis and regulatory T (Treg) cells in patients with chronic hepatitis C coinfecting with HIV. 43rd Annual Meeting of the European Association for the Study of the Liver April 23rd -27, 2008, Milano, ITALY.
- Mahmoudi, A., G. Nkontchou, et al.** Feasibility and performance of the liver stiffness (LSM) measurement for the diagnosis of fibrosis in NAFLD. 43rd Annual Meeting of the European Association for the Study of the Liver April 23rd -27, 2008, Milano, ITALY.
- Afdhal, N. H., R. Malik, et al.** Comparison of FibroScan®, APRI, AST/ALT and clinical signs as non invasive predictors of cirrhosis. 58th Annual Meeting of the American Association for the Study of Liver Disease, November 2nd-6, 2007, Boston, MA, USA.
- Barreiro, P., P. Labarga, et al.** Re-treatment with pegylated interferon plus weight-adjusted Ribavirin in HIV+ patients with chronic hepatitis C: the pilot-NR study. 58th Annual Meeting of the American Association for the Study of Liver Disease, November 2nd-6, 2007, Boston, MA, USA.
- Bureau, C., M. Robic, et al.** Prognostic value of liver stiffness measurement and hepatic venous pressure gradient in patients with chronic liver disease: a prospective study. 58th Annual Meeting of the American Association for the Study of Liver Disease, November 2nd-6, 2007, Boston, MA, USA.

- Cales, P.,** J. Boursier, et al. Comparison of reproducibility of histology, blood tests and FibroScan® for liver fibrosis. 58th Annual Meeting of the American Association for the Study of Liver Disease, November 2nd-6, 2007, Boston, MA, USA.
- Calvaruso, V.,** S. Maimone, et al. Can platelet count or APRI be the poor man's transient elastography in HCV patients? 58th Annual Meeting of the American Association for the Study of Liver Disease, November 2nd-6, 2007, Boston, MA, USA.
- Castera, L.,** P. Bernard, et al. What is the best non invasive method for early prediction of cirrhosis in chronic hepatitis C? Prospective comparison between FibroScan® and serum markers (Lok index, APRI, AST/ALT ratio, platelet count and Fibrotest). 58th Annual Meeting of the American Association for the Study of Liver Disease, November 2nd-6, 2007, Boston, MA, USA.
- Castera, L.,** G. Sebastiani, et al. Prospective comparison of two algorithms combining non invasive tests for staging of liver fibrosis in chronic hepatitis C. 58th Annual Meeting of the American Association for the Study of Liver Disease November 2nd-6, 2007, Boston, MA, USA.
- de Ledingham, V.,** D. Laharie, et al. Usefulness of FibroScan® for the follow up of patients treated with methotrexate. 58th Annual Meeting of the American Association for the Study of Liver Disease, November 2nd-6, 2007, Boston, MA, USA.
- de Ledingham, V.,** T. Lamireau, et al. A dedicated FibroScan® probe to evaluated liver fibrosis in children: feasibility and performance for the diagnosis of cirrhosis. 58th Annual Meeting of the American Association for the Study of Liver Disease, November 2nd-6, 2007, Boston, MA, USA.
- Di Marco, V.,** F. Bronte, et al. Iron overload does not effect the quantification of fibrosis by liver stiffness measurement. 58th Annual Meeting of the American Association for the Study of Liver Disease, November 2nd-6, 2007, Boston, MA, USA.
- Feitosa, F.,** S. Radenne, et al. Comparison between hepatic elasticity measurements (FibroScan®) and liver biopsy in patients transplanted for HCV cirrhosis. 58th Annual Meeting of the American Association for the Study of Liver Disease, November 2nd-6, 2007, Boston, MA, USA.
- Fraquelli, M.,** C. Rigamonti, et al. Bow body mass index (BMI) predicts discordance between transient elastography (TE) and liver biopsy (LB) assessment of liver fibrosis. 58th Annual Meeting of the American Association for the Study of Liver Disease, November 2nd-6, 2007, Boston, MA, USA.
- Fung, J.,** C. Lai, et al. Prevalence of fibrosis and cirrhosis in chronic hepatitis B: implications for treatment and management. 58th Annual Meeting of the American Association for the Study of Liver Disease, November 2nd-6, 2007, Boston, MA, USA.
- Fung, J.,** C. Lai, et al. Predictive model for fibrosis and cirrhosis in chronic hepatitis B using liver stiffness measurement. 58th Annual Meeting of the American Association for the Study of Liver Disease, November 2nd-6, 2007, Boston, MA, USA.
- García-Samaniego, J.,** J. Sheldon, et al. Anti-HBV therapy can reduce hepatitis delta replication in HIV co-infected patients. (2007). 58th Annual Meeting of the American Association for the Study of Liver Disease, November 2nd-6, 2007, Boston, MA, USA.
- Grünhage, F.,** J. Oldenburg, et al. Transient elastography (FibroScan®) in patients with chronic hepatitis C virus infection and haemophilia A. 58th Annual Meeting of the American Association for the Study of Liver Disease, November 2nd-6, 2007, Boston, MA, USA.
- Grünhage, F.,** S. Schwartz, et al. Genetic association study of profibrogenic gene variants using transient elastography for phenotypic characterization of liver fibrosis. 58th Annual Meeting of the American Association for the Study of Liver Disease, November 2nd-6, 2007, Boston, MA, USA.
- Hezode, C.,** L. Castera, et al. Dynamics of liver stiffness during peginterferon Alpha-Ribavirin treatment in patients with chronic hepatitis C. 58th Annual Meeting of the American Association for the Study of Liver Disease, November 2nd-6, 2007, Boston, MA, USA.
- Huwart, L.,** C. Sempoux, et al. Comparison of MR elastography, ultrasound elastography and APRI for the non-invasive assessment of liver fibrosis. 58th Annual Meeting of the American Association for the Study of Liver Disease, November 2nd-6, 2007, Boston, MA, USA.
- Kim, D.,** S. Kim, et al. Usefulness of liver stiffness measurement in discriminating between chronic hepatitis B and compensated cirrhosis. 58th Annual Meeting of the American Association for the Study of Liver Disease, November 2nd-6, 2007, Boston, MA, USA.
- Kim, S.,** S. Ahn, et al. Can liver stiffness predict the presence of Hepatocellular Carcinoma?. 58th Annual Meeting of the

- American Association for the Study of Liver Disease, November 2nd-6, 2007, Boston, MA, USA.
- Kim, S.**, S. Ahn, et al. The usefulness of measuring liver stiffness in predicting the development Hepatocellular Carcinoma.. 58th Annual Meeting of the American Association for the Study of Liver Disease, November 2nd-6, 2007, Boston, MA, USA.
- Lucidarme, D.**, G. Forzy, et al. Interobserver reproducibility of liver stiffness measurement by transient elastography (FibroScan®). 58th Annual Meeting of the American Association for the Study of Liver Disease, November 2nd-6, 2007, Boston, MA, USA.
- Lucidarme, D.**, J. Foucher, et al. The ratio interquartile range / Median value of liver stiffness measurement is a key factor of accuracy of transient elastography (FibroScan®) for the diagnosis of liver fibrosis. 58th Annual Meeting of the American Association for the Study of Liver Disease, November 2nd-6, 2007, Boston, MA, USA.
- Marino, N.**, S. Lo Caputo, et al. Influence of liver fibrosis on highly active antiretroviral therapy-associated hepatotoxicity in HIV positive patients. 58th Annual Meeting of the American Association for the Study of Liver Disease, November 2nd-6, 2007, Boston, MA, USA.
- Martinez, S-M.**, M. Domínguez, et al. Performance of non-invasive methods in the assessment of disease severity in routine clinical practice in patients with chronic hepatitis C. 58th Annual Meeting of the American Association for the Study of Liver Disease, November 2nd-6, 2007, Boston, MA, USA.
- Nudo, C. G.**, L. Jeffers, et al. Correlation of laparoscopic liver biopsy to elasticity measurements (FibroScan®) in patients with chronic liver disease. 58th Annual Meeting of the American Association for the Study of Liver Disease, November 2nd-6, 2007, Boston, MA, USA.
- Poynard, T.**, P. Ingiliz, et al. Concordance between FibroTest® (FT) and Fibroscan® (FS): a new non-invasive methodology for improving accuracy in a world without a gold standard. 58th Annual Meeting of the American Association for the Study of Liver Disease, November 2nd-6, 2007, Boston, MA, USA.
- Rigamonti, C.**, M. Donato, et al. Transient elastography (TE) is an accurate tool in monitoring liver transplanted (LT) patients with recurrent hepatitis 58th Annual Meeting of the American Association for the Study of Liver Disease, November 2nd-6, 2007, Boston, MA, USA.
- Seo, Y.**, E. Kim, et al. Liver stiffness measurement in patients with chronic hepatitis B is not as useful as that in patients with chronic hepatitis C for the assessment of liver fibrosis. 58th Annual Meeting of the American Association for the Study of Liver Disease, November 2nd-6, 2007, Boston, MA, USA.
- Smirne, C.**, C. Colletta, et al. Regression of fibrosis among long-term responders to antiviral treatment for chronic viral hepatitis. 58th Annual Meeting of the American Association for the Study of Liver Disease, November 2nd-6, 2007, Boston, MA, USA.
- Wong, D.**, C. Lai, et al. Large scale longitudinal study of chronic hepatitis B patients with hepatitis B surface antigen seroclearance. 58th Annual Meeting of the American Association for the Study of Liver Disease, November 2nd-6, 2007, Boston, MA, USA.
- Seo, Y.**, Suh, S. et al. The result of liver stiffness measurement is influenced by the serum bilirubin level. 58th Annual Meeting of the American Association for the Study of Liver Disease, November 2nd-6, 2007, Boston, MA, USA.
- Yoneda, M.**, H. Mawatari, et al. Transient elastography in patients with nonalcoholic fatty liver disease (NAFLD). 58th Annual Meeting of the American Association for the Study of Liver Disease, November 2nd-6, 2007, Boston, MA, USA.
- Gabriel, J-M.**, J. de la Cruz-Bértolo, et al. Can hepatic steatosis interfere in the diagnostic accuracy of transient elastography (FibroScan®) for assessing liver fibrosis? A prospective study in chronic hepatitis C. 15th United European Gastroenterology Week, October 27-31st, Paris, France.
- Laharie, D.**, E. Chabrun, et al. Usefulness of FibroScan® for the follow up of patients treated with methotrexate.. 15th United European Gastroenterology Week, October 27-31st, Paris, France.
- Malik, R.**, R. Farnan, et al. The use of FibroScan® as a non-invasive means of predicting oesophageal varices. Digestive Disease Week 2007. May 19-24, 2007, Washington, DC, USA.
- Chang, J.**, H. H. Tan, et al. Diagnostic accuracy and clinical utility of transient elastography (Fibroscan®) in the evaluation of hepatic fibrosis in an Asian population with chronic hepatitis B. Digestive Disease Week 2007. May 19-24, 2007, Washington, DC, USA.
- Nakayam, Y.**, T. Takeda, et al. Liver stiffness and the incidence of hepatocellular carcinoma in patients with chronic hepatitis C.

- Digestive Disease Week 2007. May 19-24, 2007, Washington, DC, USA.
- Verveer, C.**, H. R. van Buuren, et al. Transient elastography in chronic hepatitis B and C predicts severe fibrosis similarly. Digestive Disease Week 2007. May 19-24, 2007, Washington, DC, USA.
- Verveer, C.**, H. R. van Buuren, et al. Validation of transient elastography in chronic viral hepatitis. Digestive Disease Week 2007. May 19-24, 2007, Washington, DC, USA.
- Masuzaki, R.**, R. Tateishi, et al. Discrepancy between transient elastography and liver biopsy. Digestive Disease Week 2007. May 19-24, 2007, Washington, DC, USA.
- Barreiro, P.**, L. Martin-Carbonero, et al. Liver fibrosis in HIV-infected patients without chronic viral hepatitis. Prevalence, clinical characteristics and potential causes. 42th Annual Meeting of the European Association for the Study of the Liver April 11-15, 2007 Barcelona, SPAIN.
- Vizzutti, F.**, U. Arena, et al. Comparison between hepatic venous pressure gradient (HVPG) and liver stiffness measurement (LSM) in patients with HCV-related fibrosis/cirrhosis. 42th Annual Meeting of the European Association for the Study of the Liver April 11-15, 2007, Barcelona, SPAIN.
- Yeshua, H.**, S. Zelber-Sagi, et al. Can FibroScan® overcome the sampling error of liver biopsy? 42th Annual Meeting of the European Association for the Study of the Liver April 11-15, 2007, Barcelona, SPAIN.
- Marin, J. C.**, J. de La Cruz, et al. Prospective comparison between transient elastography (FibroScan®), APRI and Forns test for assessing liver fibrosis in patients with histological features of NAFLD. 42th Annual Meeting of the European Association for the Study of the Liver April 11-15, 2007, Barcelona, SPAIN.
- Abergel, A.**, K. Randl, et al. Diagnostic accuracy of carbohydrate deficient transferrin in patients with chronic liver disease. Alcohol consumption and liver disease severity effects. 42th Annual Meeting of the European Association for the Study of the Liver. April 11-15, 2007, Barcelona, SPAIN.
- Fung, J.**, C. L. Lai, et al. Large population study in liver stiffness measurement: prevalence of significant fibrosis and correlation with liver biochemistry in chronic hepatitis B. 42th Annual Meeting of the European Association for the Study of the Liver April 11-15, 2007, Barcelona, SPAIN.
- Gaia, S.**, S. Carenzi, et al. Is liver stiffness measurement different in patients with NASH or with viral hepatitis? 42th Annual Meeting of the European Association for the Study of the Liver April 11-15, 2007, Barcelona, SPAIN.
- Blanc, P. L.**, A. Gabbuti, et al. Liver stiffness in chronic hepatitis C: will it modify the assessment of patients? 42th Annual Meeting of the European Association for the Study of the Liver April 11-15, 2007, Barcelona, SPAIN.
- Hezode, C.**, I. Rosa, et al. Evolution of liver stiffness measurement during antiviral therapy in patients with chronic hepatitis C. 42th Annual Meeting of the European Association for the Study of the Liver April 11-15, 2007, Barcelona, SPAIN.
- Di Marco, V.**, F. Bronte, et al. Staging of fibrosis by liver stiffness measurement in thalassemics with iron overload. 42th Annual Meeting of the European Association for the Study of the Liver April 11-15, 2007, Barcelona, SPAIN.
- Nguyen-Khac, E.**, B. Robert, et al. Assessment of asymptomatic liver fibrosis in alcohol abuser patients by transient elastography (FibroScan®). 42th Annual Meeting of the European Association for the Study of the Liver April 11-15, 2007, Barcelona, SPAIN.
- Munteanu, M.**, P. Lebray, et al. Applicability of non-invasive methods for the diagnosis of liver injury, liver stiffness measures (LSM) or biomarkers, and factors associated with non-applicability. 42th Annual Meeting of the European Association for the Study of the Liver April 11-15, 2007, Barcelona, SPAIN.
- Nahon, P.**, M. Ziol, et al. Assessment of liver fibrosis using liver stiffness measurement (LSM) in patients with alcoholic liver disease. 42th Annual Meeting of the European Association for the Study of the Liver April 11-15, 2007, Barcelona, SPAIN.
- Vergara, S.**, J. Macías, et al. Failure of transient elastometry (Fibroscan®) to differentiate mild from significant liver fibrosis in HIV/HCV-co-infected patients. 17th Asian Pacific Association for the Study of Liver Conference. March 27-30, 2007, Kyoto, Japan.
- Masuzaki, R.**, R. Tateishi, et al. Assessing liver tumor stiffness by transient elastography. 17th Asian Pacific Association for the Study of Liver Conference. March 27-30, 2007, Kyoto, Japan.
- Masuzaki, R.**, R. Tateishi, et al. Risk assessment of hepatocellular carcinoma by transient elastography. 17th Asian Pacific Association for the Study of Liver. March 27-30, 2007, Kyoto, Japan.
- Masuzaki, R.**, R. Tateishi, et al. Usefulness of transient elastography apparatus for assessing progression of chronic liver

- disease. 17th Asian Pacific Association for the Study of Liver Conference. March 27-30, 2007, Kyoto, Japan.
- Chang, J., H. H. Tan, et al.** Transient elastography (FibroScan®) to assess hepatic fibrosis in chinese with chronic hepatitis B. 17th Asian Pacific Association for the Study of Liver. March 27-30, 2007, Kyoto, Japan.
- Fukuzawa, Y., S. Kizawa, et al.** Efficacy of non-invasive fibrosis quantificated-evaluation by Liver elasticity measurement in NASH. 17th Asian Pacific Association for the Study of Liver. March 27-30, 2007, Kyoto, Japan.
- Tamano, M., M. Yoneda, et al.** Screening of NASH from NAFLD by transient echography. 17th Asian Pacific Association for the Study of Liver March 27-30, 2007, Kyoto, Japan.
- Baba, M., K. Furuya, et al.** Liver stiffness in Japanese controls and in patients with non-alcoholic steatohepatitis (NASH). 17th Asian Pacific Association for the Study of Liver March 27-30, 2007, Kyoto, Japan.
- Oliveri, F., B. Coco, et al.** Does transient elastography improve the management of CHB patients? . 17th Asian Pacific Association for the Study of Liver. March 27-30, 2007, Kyoto, Japan.
- Kim, H. S., S. H. Ahn, et al.** Predictive value of liver stiffness in patients with HBV related cirrhosis. 17th Asian Pacific Association for the Study of Liver. March 27-30, 2007, Kyoto, Japan.
- Lai, L., C.-H. Hui, et al.** The use of transient elastography as a preoperative assessment of hepatic resection 17th Asian Pacific Association for the Study of Liver. March 27-30, 2007, Kyoto, Japan.
- Kawabe, N., Y. Nitta, et al.** Liver stiffness measured by FibroScan® correlates with area of fibrosis in chronic hepatitis C. 17th Asian Pacific Association for the Study of Liver. March 27-30, 2007, Kyoto, Japan.
- Barreiro, P., I. Maida, et al.** Liver disease of unknown etiology in HIV-infected patients: prevalence, clinical presentation, and putative causes. 14th Conference on Retroviruses and Opportunistic Infections. February 25-28, 2007, Los Angeles, CA, USA.
- Castellares, C., L. Martin-Carbonero, et al.** Faster progression of liver fibrosis in chronic hepatitis due to HCV than to HVB in HIV+ patients in the Tenofovir Era. 14th Conference on Retroviruses and Opportunistic Infections February 25-28, 2007, Los Angeles, CA, USA.
- Martin-Carbonero, L., P. Barreiro, et al.** Characteristics of HIV/HCV-co-infected patients with persistent normal transaminase levels. 14th Conference on Retroviruses and Opportunistic Infections. February 25-28, 2007, Los Angeles, CA, USA.
- Castellares, C., L. Martin-Carbonero, et al.** Prevalence, etiology, and clinical presentation of HIV+ patients with liver cirrhosis. 14th Conference on Retroviruses and Opportunistic Infections February 25-28, 2007, Los Angeles, CA, USA.
- Barreiro, P., S. Rodríguez-Nóvoa, et al.** Comparison of hepatitis C virus early kinetics in HIV/HCV-co-infected patients treated with weight-based Ribavirin + either PegIFNa-2a or PegIFNa-2b. 14th Conference on Retroviruses and Opportunistic Infections February 25-28, 2007, Los Angeles, CA, USA.
- Breilh, D., S. Guinguené, et al.** Pharmacokinetics of boosted PI and NNRTI in HCV/HIV-co-infected patients. Conference on Retroviruses and Opportunistic Infections February 25-28, 2007, Los Angeles, CA, USA.
- Mialhes, P., G. Perrot, et al.** Prospective comparison of transient elastography and liver biopsy for the assessment of fibrosis in patients with HIV/HBV co-infection. 14th Conference on Retroviruses and Opportunistic Infections. February 25-28, 2007, Los Angeles, CA, USA.
- Salmon, D., M. A. Loko, et al.** Insulin resistance and progression to liver fibrosis in HIV/HCV-co-infected patients participating to the prospective ANRS Co13 french cohort study. 14th Conference on Retroviruses and Opportunistic Infections February 25-28, 2007, Los Angeles, CA, USA.
- Navarro, M., P. Martín Fontelos, et al.** Chronic hepatitis C virus infection in a large cohort of HIV-infected spanish children. 14th Conference on Retroviruses and Opportunistic Infections February 25-28, 2007, Los Angeles, CA, USA.
- Merchante, N., E. Recio, et al.** Low prevalence of moderate-severe liver fibrosis assessed by transient hepatic elastography in HIV-infected patients without HBV or HCV co-infection. 14th Conference on Retroviruses and Opportunistic Infections. February 25-28, 2007, Los Angeles, CA, USA.
- Konate, A., J. Boursier, et al.** Liver stiffness measurement by transient elastography: predictive factors of accuracy, success and reproducibility. 57th Annual Meeting of the American Association for the Study of Liver Diseases October 27-31, 2006, Boston, MA, USA.
- Rigamonti, C., F. Donato, et al.** Transient elastography (TE, FibroScan®) in the evaluation of recurrent disease after liver transplantation (LT) 57th Annual Meeting of the American Association for the Study

- of Liver Disease. October 27-31, 2006, Boston, MA, USA.
- Lemoine, M.**, S. Katsahian, et al. Liver stiffness measurement is correlated with hepatic venous pressure gradient in patients with uncomplicated alcoholic and/or hvc related-cirrhosis 57th Annual Meeting of the American Association for the Study of Liver Disease. October 27-31, 2006, Boston, MA, USA.
- Fraquelli, M.**, C. Rigamonti, et al. Reproducibility of transient elastography (TE) in assessing hepatic fibrosis 57th Annual Meeting of the American Association for the Study of Liver Disease. October 27-31, 2006, Boston, MA, USA.
- Servin-Abad, L. A.**, L. J. Jeffers, et al. Correlation between liver histology, laparoscopic gross appearance and elasticity measured with the shear elasticity probe (Fibroscan®) in patients with chronic liver disease. 57th Annual Meeting of the American Association for the Study of Liver Disease. October 27-31, 2006, Boston, MA, USA.
- Farnan, R.**, F. Heitor, et al. Optimization of the diagnosis of cirrhosis comparing clinical, biochemical and radiological features with liver stiffness by FibroScan®. 57th Annual Meeting of the American Association for the Study of Liver Disease. October 27-31, 2006, Boston, MA, USA.
- Fukuzawa, Y.**, S. Kizawa, et al. Efficacy of non-invasive hepatic fibrosis quantified-evaluation by liver elasticity measurement in nonalcoholic steatohepatitis (NASH) - comparison of ultrasonic transient elastography and histopathological diagnosis 57th Annual Meeting of the American Association for the Study of Liver Disease. October 27-31, 2006, Boston, MA, USA.
- Takeda, T.**, T. Yasuda, et al. Noninvasive diagnosis of nonalcoholic steatohepatitis using elastometry 57th Annual Meeting of the American Association for the Study of Liver Disease. October 27-31, 2006, Boston, MA, USA.
- Roulot, D.**, S. Czernichow, et al. Influence of metabolic syndrome on liver stiffness measurement in subjects without overt liver disease 57th Annual Meeting of the American Association for the Study of Liver Disease. October 27-31, 2006, Boston, MA, USA.
- Baldaia, C.**, F. Serejo, et al. Transient elastography in chronic hepatitis C - comparison between different noninvasive methods for liver fibrosis assessment 57th Annual Meeting of the American Association for the Study of Liver Disease. October 27-31, 2006, Boston, MA, USA.
- Serejo, F.**, R. Marinho, et al. Transient elastography (Fibroscan®) in chronic hepatitis C. Will it modify the assessment and the follow-up of treated patients? . 57th Annual Meeting of the American Association for the Study of Liver Disease. October 27-31, 2006, Boston, MA, USA.
- Barreiro, P.**, C. Castellares, et al. Liver cirrhosis in HIV-infected patients: etiology, epidemiology, clinical complications and utility of transient elastometry 57th Annual Meeting of the American Association for the Study of Liver Disease. October 27-31, 2006, Boston, MA, USA.
- Gomez-Dominguez, E.**, J. Mendoza, et al. Efficiency of liver stiffness measurement (FibroScan®) for the follow up of patients with primary biliary cirrhosis. 57th Annual Meeting of the American Association for the Study of Liver Disease. October 27-31, 2006, Boston, MA, USA.
- Bureau, C.**, S. Metivier, et al. Prospective assessment of liver stiffness for the non-invasive diagnosis of portal hypertension 57th Annual Meeting of the American Association for the Study of Liver Disease October 27-31, 2006, Boston, MA, USA.
- Poujol-Robert, A.**, M. Lewin, et al. Diffusion-weighted MR imaging for the diagnosis of liver fibrosis in patients with chronic hepatitis C 57th Annual Meeting of the American Association for the Study of Liver Disease. October 27-31, 2006, Boston, MA, USA.
- Nahon, P.**, A. Kettaneh, et al. Liver stiffness measurement (LSM) by Fibroscan® in cirrhotic patients with small hepatocellular carcinoma (HCC): retrospective study comparing 50 cases with 197 compensated child-pugh a cirrhotic patients without HCC 57th Annual Meeting of the American Association for the Study of Liver Disease. October 27-31, 2006, Boston, MA, USA.
- Roulot, D.**, J. Costes, et al. Liver stiffness values in subjects without known risk factor for chronic liver diseases 57th Annual Meeting of the American Association for the Study of Liver Disease. October 27-31, 2006, Boston, MA, USA.
- Beaugrand, M.**, M. Ziol, et al. Liver stiffness cut-off values in HCV patients: validation and comparison in an independent population. 57th Annual Meeting of the American Association for the Study of Liver Disease. October 27-31, 2006, Boston, MA, USA.
- de Ledinghen, V.**, P. Barreiro, et al. Liver fibrosis estimation by Fibroscan® and biochemical markers according to HIV serostatus in two large cohorts of patients with chronic hepatitis C 57th Annual Meeting of the

American Association for the Study of Liver Disease. October 27-31, 2006, Boston, MA, USA.

- de Ledinghen, V.**, L. Castera, et al. Evaluation of fibrosis evolution using non-invasive methods according to sustained virological response in HCV patients. A pilot prospective controlled study 57th Annual Meeting of the American Association for the Study of Liver Disease. October 27-31, 2006, Boston, MA, USA.
- de Ledinghen, V.**, J. Foucher, et al. Assessment of the severity of cirrhosis according to different values of Fibroscan®: a prospective study 57th Annual Meeting of the American Association for the Study of Liver Disease. October 27-31, 2006, Boston, MA, USA.
- Castera, L.**, J. Foucher, et al. Transient elastography (Fibroscan®) and FibroTest to assess liver fibrosis in inactive hepatitis B carriers: a prospective controlled study 57th Annual Meeting of the American Association for the Study of Liver Disease. October 27-31, 2006, Boston, MA, USA.
- Calès, P.**, P. Veillon, et al. Reproducibility of blood scores of liver fibrosis 57th Annual Meeting of the American Association for the Study of Liver Disease. October 27-31, 2006, Boston, MA, USA.
- Boursier, J.**, M. Guilluy, et al. Liver stiffness measurement by transient elastography (Fibroscan®): is training necessary? . 57th Annual Meeting of the American Association for the Study of Liver Disease October 27-31, 2006, Boston, MA, USA.
- Boursier, J.**, A. Konaté, et al. Liver stiffness measurement by transient elastography: predictive factors of accuracy, success and reproducibility 57th Annual Meeting of the American Association for the Study of Liver Disease. October 27-31, 2006, Boston, MA, USA.
- Cales, P.**, V. Le Tallec, et al. Combination of blood scores, doppler ultrasonography, and transient elastography for the diagnosis of liver fibrosis 57th Annual Meeting of the American Association for the Study of Liver Disease. October 27-31, 2006, Boston, MA, USA.
- Le Tallec, V.**, J. Le Bigot, et al. Combination of blood scores, doppler ultrasonography, and transient elastography for the diagnosis of liver fibrosis. 57th Annual Meeting of the American Association for the Study of Liver Diseases. October 27-31, 2006, Boston, USA.
- Foucher, J.**, L. Castera, et al. Assessment of the severity of cirrhosis according to different values of FibroScan®: a prospective study. 57th Annual Meeting of the

American Association for the Study of Liver Diseases. October 27-31, 2006, Boston, USA.

- Kelleher, T. B.**, C. MacFarlane, et al. Risk factors and hepatic elastography (Fibroscan®) in the prediction of hepatic fibrosis in non alcoholic steatohepatitis. Digestive Disease Week 2006. May 20-25, 2006, Los Angeles, USA.
- Castera, L.**, J. Foucher, et al. Prospective and independent validation of the Lok index for prediction of cirrhosis in patients with chronic hepatitis C: comparison with FibroScan®, Fibrotest and APRI. Digestive Disease Week 2006. May 20-25, 2006, Los Angeles, USA.
- Fukuzawa, Y.**, T. Ohashi, et al. Efficacy of non-invasive hepatic fibrosis quantification by liver elasticity measurement in nonalcoholic steatohepatitis (NASH) - Comparison of ultrasonic transient elastography and histopathological diagnosis. Digestive Disease Week 2006. May 20-25, 2006, Los Angeles, USA.
- Munteanu, M.**, Y. Ngo, et al. Three-dimensional and metabolic variability of Fibroscan® (transient elastography) measures in healthy volunteers. Digestive Disease Week 2006. May 20-25, 2006, Los Angeles, USA.
- de Ledinghen, V.**, D. Laharie, et al. Assessment of cirrhosis and its severity by Fibroscan® and biochemical markers in alcoholic patients. Digestive Disease Week 2006. May 20-25, 2006, Los Angeles, USA.
- Jeon, S.**, C. Cho, et al. Correlation between liver elasticity measured by Fibroscan® and liver fibrosis assessed by histology; preliminary study in Korea. Los Angeles, USA. May 20-25, 2006, Digestive Disease Week 2006.
- de Ledinghen, V.**, L. Castera, et al. Le FibroScan® permet d'apprécier la régression de la fibrose hépatique chez les malades infectées par le VHC répondeurs au traitement par interféron retard et ribavirine : étude prospective [*FibroScan® allows to evaluate liver fibrosis regression in HCV patients responding to peg-interferon and ribavirin treatment: a prospective study*]. Journées Francophones de Pathologie Digestive, 30^{ème} édition. March 18-22, 2006, Palais des Congrès, Paris, France.
- Bary, M.**, D. Touzeau, et al. Contribution of the FibroScan® to healthcare access for drug users and precarious population: observational study. 68th Annual Scientific Meeting of the College on Problems of Drug Dependence (CPDD). June 17-22, 2006, Scottsdale, AZ, USA.
- Barreiro, P.**, L. Martín-Carbonero, et al. Predictors of liver fibrosis in HIV-infected

patients with chronic hepatitis C. 13th Conference on Retroviruses and Opportunistic Infections. February 5-8, 2006, Denver, Colorado, USA.

- Barreiro, P.**, P. Labarga, et al. Sustained virological response following HCV therapy is associated with regression of liver fibrosis in HCV/HIV-coinfected patients. 13th Conference on Retroviruses and Opportunistic Infections. February 5-8, 2006, Denver, Colorado, USA.
- Foucher, J.**, L. Castera, et al. Assessment of cirrhosis and its severity by FibroScan® and biochemical markers in alcoholic patients. 41st Annual Meeting of the European Association for the study of the Liver. April 26-30, 2006, Vienna, Austria.
- Carrion, J. A.**, M. Navasa, et al. Transient elastography to evaluate the severity of hepatitis C recurrence after liver transplantation. 41st Annual Meeting of the European Association for the Study of the Liver. April 26-30, 2006, Vienna, Austria.
- de Ledinghen, V.**, M. Beaugrand, et al. Prediction of liver fibrosis in non alcoholic steatohepatitis (NASH): risk factors and diagnostic potential of liver elasticity using Fibroscan®. 41st Annual Meeting of the European Association for the Study of the Liver. April 26-30, 2006, Vienna, Austria.
- Konate, A.**, S. Reaud, et al. Liver stiffness measurement (LSM) by transient elastography: predictive factors of accuracy, success and reproducibility. 41st Annual Meeting of the European Association for the Study of the Liver. April 26-30, 2006, Vienna, Austria.
- Adhoute, X.**, J. Foucher, et al. Is liver stiffness measurement useful in genetic hemochromatosis and hemosiderosis? 41st Annual Meeting of the European Association for the Study of the Liver. April 26-30, 2006, Vienna, Austria.
- de Ledinghen, V.**, L. Castera, et al. Evaluation of fibrosis regression using FibroScan® in HCV responder patients. A prospective controlled study. 41st Annual Meeting of the European Association for the Study of the Liver. April 26-30, 2006, Vienna, Austria.
- Castera, L.**, J. Foucher, et al. Prospective comparison of FibroScan® and FibroTest in inactive hepatitis B carriers. 41st Annual Meeting of the European Association for the Study of the Liver. April 26-30, 2006, Vienna, Austria.
- Grando-Lemaire, V.**, V. De Ledinghen, et al. Liver stiffness measurement (LSM) as a tool to measure liver fibrosis in treated patients with chronic hepatitis C (CHC). 41th Annual Meeting of the European

Association for the Study of the Liver. April 26-30, 2006, Vienna, Austria.

- Corradi, F.**, F. Piscaglia, et al. Staging of hepatic fibrosis by liver elastometry (FibroScan®) in recurrent HCV infection in liver transplant recipients. 41st Annual Meeting of the European Association for the Study of the Liver. April 26-30, 2006, Vienna, Austria.
- Castera, L.**, J. Foucher, et al. Prospective and independent validation of the Lok index for prediction of cirrhosis in patients with chronic hepatitis C: comparison with FibroScan®, Fibrotest and APRI. 41st Annual Meeting of the European Association for the study of the Liver. 2006, April 26 - 30, 2006, Vienna, Austria.
- Morente, A.**, P. Barreiro, et al. Clinical manifestations of end-stage liver disease (ESLD) in patients with chronic viral hepatitis and advanced liver fibrosis assessed by elastography. 45th Annual Interscience Conference on Antimicrobial Agent and Chemotherapy September 21st-24, 2005, New Orleans, LA, USA.
- Barreiro, P.**, A. Morente, et al. Influence of liver fibrosis on plasma levels of non-nucleoside analogues and protease inhibitors in HIV+ patients. 45th Annual Interscience Conference on Antimicrobial Agent and Chemotherapy September 21st-24, 2005, New Orleans, LA, USA.
- Maida, I.**, V. Soriano, et al. Liver fibrosis stage in HIV/HCV-coinfected patients with persistently normal transaminases levels. 45th Annual Interscience Conference on Antimicrobial Agent and Chemotherapy September 21st-24, 2005, New Orleans, LA, USA.
- Le Bail, B.** Evaluation of hepatic fibrosis in the pediatric population: which histological staging system and what alternative ? 20th European Congress of Pathology. September 3-8, 2005, Paris, France.
- Khokhar, A.**, R. Farnan, et al. Liver stiffness and biomarkers: Correlation with cirrhosis, portal hypertension and hepatic synthetic function. 56th Annual Meeting of the American Association for the Study of Liver Disease Nov. 11-15, 2005, San Francisco, USA.
- Coco, B.**, F. Oliveri, et al. Monitoring liver elasticity: a new tool to measure liver fibrosis during therapy. 56th Annual Meeting of the American Association for the Study of Liver Disease Nov. 11-15, 2005, San Francisco, USA.
- Pares, A.**, L. Caballeria, et al. Transient elastography: a new and useful non-invasive method for assessing liver damage progression in primary biliary cirrhosis. 56th Annual Meeting of the American Association for the Study of

Liver Disease Nov. 11-15, 2005, San Francisco, USA.

Morente, A., M. Romero, et al. Clinical manifestations of end-stage liver disease (ESLD) in patients with chronic viral hepatitis and advanced liver fibrosis assessed by elastography 56th Annual Meeting of the American Association for the Study of Liver Disease Nov. 11-15, 2005, San Francisco, USA.

Castera, L., A. Van Hecke, et al. Independent validation and comparison with FibroScan®, Fibrotest and liver biopsy of clinical glycomics for the non invasive assessment of liver fibrosis in chronic hepatitis C. 56th Annual Meeting of the American Association for the Study of Liver Disease. Nov. 11-15, 2005, San Francisco, USA.

Castera, L., B. Le Bail, et al. Prospective analysis of discordance between FibroScan® and Fibrotest when used in combination as first-line assessment of liver fibrosis in chronic hepatitis C. 56th Annual Meeting of the American Association for the Study of Liver Disease Nov. 11-15, 2005, San Francisco, USA.

Corpechot, C., A. El Naggar, et al. Assessment of hepatic fibrosis by liver stiffness measurement in patients with chronic cholestatic diseases. 56th Annual Meeting of the American Association for the Study of Liver Disease Nov. 11-15, 2005, San Francisco, USA.

Marcellin, P., V. de Ledinghen, et al. Non-invasive assessment of liver fibrosis in chronic hepatitis B using FibroScan®. 56th Annual Meeting of the American Association for the Study of Liver Disease Nov. 11-15, 2005, San Francisco, USA.

Ganne-Carrie, N., V. de Ledinghen, et al. Accuracy of liver stiffness measurement (LSM) for the diagnosis of cirrhosis in patients with chronic liver diseases (CLD): a study in 1345 patients. 56th Annual Meeting of the American Association for the Study of Liver Disease Nov. 11-15, 2005, San Francisco, USA.

Foucher, J., L. Castera, et al. Prevalence and factors associated with failure of liver stiffness measurement using FibroScan® in a prospective study of 2114 examinations. 56th Annual Meeting of the American Association for the Study of Liver Disease Nov. 11-15, 2005, San Francisco, USA.

de Ledinghen, V., B. Le Bail, et al. FibroScan® is a new non-invasive method for the diagnosis of liver fibrosis in children: a prospective comparison with FibroSure®, and liver biopsy. 56th Annual Meeting of the American Association for the Study of

Liver Disease Nov. 11-15, 2005, San Francisco, USA.

de Ledinghen, V., C. Douvin, et al. Diagnosis of hepatic fibrosis and cirrhosis by liver stiffness measurement in HIV-HCV co-infected patients: a prospective study. 56th Annual Meeting of the American Association for the Study of Liver Disease Nov. 11-15, 2005, San Francisco, USA.

de Ledinghen, V., L. Castera, et al. Repeated liver stiffness measurement using FibroScan® for the follow-up of untreated HCV patients and for the evaluation and monitoring of histological response in HCV responders: a prospective longitudinal study. 56th Annual Meeting of the American Association for the Study of Liver Disease Nov. 11-15, 2005, San Francisco, USA.

Melin, P., A. Dacon, et al. Cirrhosis screening in alcoholism consultation using FibroScan®. 56th Annual Meeting of the American Association for the Study of Liver Disease Nov. 11-15, 2005, San Francisco, USA.

Ziol, M., N. Barget, et al. Amount and type of liver fibrosis detected by stiffness measurements 56th Annual Meeting of the American Association for the Study of Liver Disease Nov. 11-15, 2005, San Francisco, CA, USA.

Barrault, C., F. Medkour, et al. Non invasive assessment of liver graft fibrosis by transient elastography after liver transplantation 56th Annual Meeting of the American Association for the Study of Liver Disease Nov. 11-15, 2005, San Francisco, USA.

Takeda, T., T. Yasuda, et al. The usefulness of elastometry using FibroScan® 502 for assessment of liver fibrosis stage in chronic hepatitis C. 56th Annual Meeting of the American Association for the Study of Liver Disease Nov. 11-15, 2005, San Francisco, USA.

Laharie, D., X. Boue-Lahorgue, et al. Diagnosis of liver fibrosis with non-invasive methods in IBD patients treated with methotrexate. Digestive Disease Week 2005. May 14-19, 2005, Chicago, IL, USA.

Melin, P., L. Gourarier, et al. Interest of the FibroScan® for the screening of cirrhosis in alcoholism consultation. 67th Annual Scientific Meeting of the College on Problems of Drug Dependence (CPDD). June 18-23, 2005, Whyndam Palace Resort and Spa, Orlando, FL, USA.

Gourarier, L., P. Melin, et al. Interest of the FibroScan® in a toxicology consultation: preliminary results 67th Annual Scientific Meeting of the College on Problems of Drug Dependence (CPDD). June 18-23, 2005, Whyndam Palace Resort and Spa, Orlando, FL, USA.

- Lamireau, T., B. Le Bail, et al.** FibroScan® is a new non-invasive method for the diagnosis of liver fibrosis in children: a prospective comparison with Fibrotest® and liver biopsy. 38th Annual Meeting of the European Society of Paediatric Gastroenterology Hepatology and Nutrition (ESPGHAN). June 1st-4, 2005, Porto, Portugal.
- Kazemi, F., E. Pinto, et al.** In patients with cirrhosis, liver stiffness measurement (LSM) predicts the presence and size of oesophageal varices (OV) more accurately than portal gradient (PG). 40th Annual Meeting of the European Association for the Study of the Liver. April 13-17, 2005, Palais des Congrès, Paris, France.
- Foucher, J., J. Vergniol, et al.** Fibrosis evaluation in chronic liver diseases: comparison of FibroScan® with liver biopsy, Fibrotest®, Forns score, APRI, hyaluronan, prothrombin time, and AST/ALT ratio. 40th Annual Meeting of the European Association for the Study of the Liver. April 13-17, 2005, Palais des Congrès, Paris, France.
- Nahon, P., M. Ziol, et al.** Liver stiffness measurement (LSM) improves prediction of fibrosis stage by experienced physicians in patients with hcv chronic hepatitis. 55th Annual Meeting of the American Association for the Study of Liver Disease Oct. 29-Nov. 2nd, 2004, Boston, USA.
- Ziol, M., A. Handra-Luca, et al.** Non-invasive assessment of liver fibrosis by liver stiffness measurement (LSM) in patients with chronic hepatitis C (CHC): the importance of sampling. 55th Annual Meeting of the American Association for the Study of Liver Disease Oct. 29-Nov. 2nd, 2004, Boston, MA, USA.
- Saito, H., S. Tada, et al.** Usefulness of hepatic elastometry for staging histology. 55th Annual Meeting of the American Association for the Study of Liver Disease Oct. 29-Nov. 2nd, 2004, Boston, USA.
- Douvin, C., F. Roudot-Thoroval, et al.** Independent validation of the use of liver stiffness measurement to assess liver fibrosis in 103 patients with chronic viral hepatitis. 55th Annual Meeting of the American Association for the Study of Liver Disease Oct. 29-Nov. 2nd, 2004, Boston, USA.
- Castera, L., J. Vergniol, et al.** Prospective comparison of transient elastography, Fibrotest, APRI and liver biopsy for the assessment of fibrosis in chronic hepatitis C. 55th Annual Meeting of the American Association for the Study of Liver Disease Oct. 29-Nov. 2nd, 2004, Boston, USA.
- Kazemi, F., E. Pinto, et al.** Liver stiffness measurement is highly predictive of the presence of oesophageal varices grade II-II in patients with cirrhosis. 55th Annual Meeting of the American Association for the Study of Liver Disease. Oct. 29-Nov. 2nd, 2004, Boston, USA.
- Chanteloup, E., J. Foucher, et al.** FibroScan® is a new non invasive method for the detection of cirrhosis and its complications in patients with chronic liver diseases. Results of a prospective study in 456 patients. 55th Annual Meeting of the American Association for the Study of Liver Disease (AASLD) Oct. 29-Nov. 2nd, 2004, Boston, USA.
- Beaugrand, M.** Liver stiffness measurement: a new tool to assess liver fibrosis - Single topic conference on the role liver biopsy in the diagnosis and management of chronic liver disease. European Association for the Study of the Liver. June 14-15, 2004, Torino, Italy.
- de Ledinghen, V., J. Foucher, et al.** FibroScan® is a new non invasive method for the detection of cirrhosis and its complications in patients with chronic liver diseases. Results of a prospective study in 711 patients 1st International Workshop on HIC and Hepatitis Co-infection December 2nd-4, 2004, Amsterdam, Netherlands.
- Ziol, M., N. Barget, et al.** Correlation between liver elasticity measured by transient elastography and liver fibrosis assessed by morphometry in patients with HCV chronic hepatitis. 39th Annual Meeting of the European Association for the Study of the Liver. April 14-18, 2004, Berlin, Germany.
- Beaugrand, M., M. Ziol, et al.** Liver elasticity measurement by ultrasonic transient elastography: a new non-invasive method for assessment of liver fibrosis in chronic viral hepatitis. 54th Annual Meeting of the American Association for the Study of Liver Disease (AASLD) October 24-28, 2003, Boston, USA.
- Sandrin, L., J. M. Hasquenoph, et al.** Evaluation of hepatic fibrosis in HCV patients using transient elastography. 28th International Symposium on Ultrasonic Imaging and Tissue Characterization. May 28-30, 2003, Arlington, VA, USA.
- Beaugrand, M., R. Palau, et al.** Transient elastography a new non invasive method for assessment of liver fibrosis: results in patients with hcv chronic hepatitis. 38th Annual Meeting of the European Association for the Study of the Liver. July 3rd-6, 2003, Palexpo, Geneva, Switzerland.

- Beaugrand, M.** Elastometry: an alternative to liver biopsy for the evaluation of hepatic fibrosis in HCV patients. Highly Advanced Medical Technologies. February 14, 2003, Tokyo, Japan.
- Palau, R.** The experience of a radiologist with the elastometer. An application of transient elastography. Highly Advanced Medical Technologies. February 14, 2003, Tokyo, Japan.
- Palau, R., L. Sandrin, et al.** Noninvasive tissue elasticity probe. Radiological Society of North America. 88th Scientific Assembly

and Annual Meeting. December 1st -6, 2002, McCormick Place, Chicago, USA.

- Christidis, C., F. Mal, et al.** Noninvasive evaluation of the hepatic fibrosis using transient elastography. Radiological Society of North America, 88th Scientific Assembly and Annual Meeting. December 1st-6, 2002, McCormick Place, Chicago, USA.

NATIONAL COMMUNICATIONS

- Rudler, M., P. Cluzel, et al.** FibroScan® et gradient de pression hépatique chez les malades atteints de cirrhose et présentant une hémorragie digestive liée à l'hypertension portale. 63^{èmes} Journées de l'Association Française pour l'Etude du Foie (AFEF). Sept. 24-27 2008, Maison de la Chimie, Paris, France.
- Durand, A., A. Cheveau, et al.** Quel est l'impact des lésions histologiques élémentaires sur la performance diagnostique de l'élastométrie hépatique (FibroScan®) pour le diagnostic de fibrose ? 63^{èmes} Journées de l'Association Française pour l'Etude du Foie (AFEF). Sept. 24-27 2008, Maison de la Chimie, Paris, France.
- Calès, P., J. Boursier, et al.** Reproductibilité des examens usuels pour la fibrose hépatique en pratique clinique: PBH, tests sanguins et FibroScan®. 32^{ème} Edition des Journées Francophones de Pathologie Digestive (JFPD). March 8-12, 2008, Palais des Congrès de Paris, FRANCE.
- Abergel, A., C. Bonny, et al.** Variations de la valeur, de la validité et de la concordance des mesures du FibroScan® en fonction de l'espace intercostal. 32^{ème} Edition des Journées Francophones de Pathologie Digestive (JFPD). March 8-12, 2008, Palais des Congrès de Paris, FRANCE.
- Poynard, T., P. Ingiliz, et al.** Utilisation de la concordance entre le FibroTest® (FT) et le FibroScan® (FS) pour identifier les patients avec profils à haut risque de faux positifs ou de faux négatifs: validation du concept incluant la biopsie hépatique (BH). 32^{ème} Edition des Journées Francophones de Pathologie Digestive (JFPD). March 8-12, 2008 Palais des Congrès de Paris, FRANCE.
- Castera, L., G. Sebastiani, et al.** Comparaison prospective de deux algorithmes (FibroScan® + FibroTest vs APRI +

FibroTest) pour l'évaluation non invasive de la fibrose hépatique au cours de l'hépatite chronique C 32^{ème} Edition des Journées Francophones de Pathologie Digestive (JFPD). March 8-12, 2008, Palais des Congrès de Paris, FRANCE.

- Alric, L., N. Kamar, et al.** Evaluation des marqueurs non invasifs de fibrose hépatique chez les patients transplantés rénaux avec une hépatite chronique virale C. 32^{ème} Edition des Journées Francophones de Pathologie Digestive (JFPD). March 8-12, 2008, Palais des Congrès de Paris, FRANCE.
- Hilleret, M., C. Renversez, et al.** Intérêt des tests non invasifs (Fibrotest et Fibroscan®) pour le diagnostic de portage inactif de l'antigène HBs 32^{ème} Edition des Journées Francophones de Pathologie Digestive (JFPD) March 8-12, 2008, Palais des Congrès de Paris, FRANCE.
- Sobesky, R., T. Jean Marc, et al.** Evaluation de la fibrose par élastométrie impulsionnelle (FibroScan®) chez les patients avec des formes neurologiques et hépatiques de la maladie de Wilson 32^{ème} Edition des Journées Francophones de Pathologie Digestive (JFPD). March 8-12, 2008, Palais des Congrès de Paris, FRANCE.
- Mahmoudi, A., G. N'Kontchou, et al.** Faisabilité et performance du FibroScan® pour le diagnostic de la fibrose hépatique au cours de la stéatose et de la stéatohépatite non alcoolique : une étude monocentrique 32^{ème} Edition des Journées Francophones de Pathologie Digestive (JFPD). March 8-12, 2008, Palais des Congrès de Paris, FRANCE.
- Laharie, D., J. Poli, et al.** Intérêt du FibroScan® et de l'IRM dans l'hyperplasie nodulaire régénérative du foie : évaluation chez 25 patients 32^{ème} Edition des Journées Francophones de Pathologie Digestive

- (JFPD). March 8-12, 2008, Palais des Congrès de Paris, FRANCE.
- Laharie, D., E. Chabrun, et al.** Intérêt du FibroScan® dans le suivi des malades traités par méthotrexate. 32^{ème} Edition des Journées Francophones de Pathologie Digestive (JFPD) March 8-12, 2008, Palais des Congrès de Paris, FRANCE.
- Carrión, J. A.** Alternativas a la biopsia hepática en pacientes con infección crónica por el virus de la hepatitis C XXXIII Congreso Nacional de la Asociación Española para el Estudio del Hígado. February 20-22, 2008, Madrid, SPAIN.
- Martinez, S. M., M. Domínguez, et al.** Rendimiento diagnóstico de métodos no invasivos en la evaluación rutinaria de la severidad de la fibrosis en pacientes con hepatitis crónica por virus C. XXXIII Congreso Nacional de la Asociación Española para el Estudio del Hígado. February 20-22, 2008, Madrid, SPAIN.
- Mendoza-Jiménez, J., E. Gómez-Domínguez, et al.** Evolución de la fibrosis hepática en función de la respuesta al tratamiento antiviral en pacientes con hepatitis C. Utilidad de la elastografía hepática. XXXIII Congreso Nacional de la Asociación Española para el Estudio del Hígado. February 20-22, 2008, Madrid, SPAIN.
- del Valle, J., J. Macias, et al.** Mejoría en la discriminación entre fibrosis hepática leve y significativa en pacientes coinfectados por VIH/VHC mediante elastometría transitoria. XXXIII Congreso Nacional de la Asociación Española para el Estudio del Hígado. February 20-22, 2008, Madrid, SPAIN.
- Martín-Carbonero, L., M. Romero, et al.** Características clínicas de los pacientes con coinfección VIH/VHC y transaminasas normales. XXXIII Congreso Nacional de la Asociación Española para el Estudio del Hígado. February 20-22, 2008, Madrid, SPAIN.
- García-Samaniego, J.** Métodos diagnósticos de la fibrosis hepática [Métodos diagnósticos de la fibrose hépatique]. XIII Encuentro Nacional de ONG's, Fundación FIT, October 18-21st, 2007, Vigo, España.
- Boursier, J., V. de Ledinghen, et al.** Amélioration du diagnostic de la fibrose hépatique par la combinaison synchrone de tests non invasifs. 61^{èmes} Journées de l'Association Française pour l'Etude du Foie (AFEF), Sept.26-29, 2007, Centre des Congrès Europole, Grenoble, France.
- Bureau, C., M.-A. Robic, et al.** Valeurs pronostiques de l'élasticité du foie et du gradient de pressions hépatique : suivi prospectif à 1 an de 78 patients. 61^{èmes} Journées de l'Association Française pour l'Etude du Foie (AFEF), Sept.26-29, 2007, Centre des Congrès Europole, Grenoble, France.
- Fontanges, T., S. Beorchia, et al.** Evaluation de l'élasticité des hépatopathies chroniques en pratique de ville : expérience en région Rhône-Alpes. 61^{èmes} Journées de l'Association Française pour l'Etude du Foie (AFEF), Sept.26-29, 2007, Centre des Congrès Europole, Grenoble, France.
- Foucher, J., B. Reiller, et al.** L'implantation d'un FibroScan® dans un centre spécialisé de soins aux toxicomanes (CSST) permet d'améliorer le dépistage, la prise en charge et le traitement des hépatites virales C. 61^{èmes} Journées de l'Association Française pour l'Etude du Foie (AFEF), Sept.26-29, 2007, Centre des Congrès Europole, Grenoble, France.
- Lamireau, T., S. Franchi, et al.** Evaluation d'une sonde FibroScan® dédiée aux enfants : faisabilité et performances pour le diagnostic de la cirrhose. 61^{èmes} Journées de l'Association Française pour l'Etude du Foie (AFEF), Sept.26-29, 2007, Centre des Congrès Europole, Grenoble, France.
- Lucidarme, D., J. Foucher, et al.** Elastométrie impulsionnelle (FibroScan®) : le rapport IQR/valeur médiane d'élastométrie est un facteur clé de précision pour le diagnostic de la fibrose hépatique. 61^{èmes} Journées de l'Association Française pour l'Etude du Foie (AFEF), Sept.26-29, 2007, Centre des Congrès Europole, Grenoble, France.
- Nguyen-Khac, E., D. Chatelain, et al.** Résultats et place du FibroScan® pour le diagnostic non invasif de la fibrose alcoolique asymptomatique : comparaison prospective avec 7 tests biologiques non invasifs. 61^{èmes} Journées de l'Association Française pour l'Etude du Foie (AFEF), Sept.26-29, 2007, Centre des Congrès Europole, Grenoble, France.
- Terrebonne, E., J. Foucher, et al.** Intérêt de la carbohydrate-deficient transferrin (CDT) au cours des maladies hépatiques chroniques selon la gravité de l'hépatopathie. Étude prospective de 2227 malades. 61^{èmes} Journées de l'Association Française pour l'Etude du Foie (AFEF), Sept.26-29, 2007, Centre des Congrès Europole, Grenoble, France.
- Nahon, P., M. Ziol, et al.** Evaluation de la fibrose hépatique par FibroScan® chez les patients alcooliques [Assessment of hepatitis fibrosis by FibroScan® in alcoholic patients]. 31^{ème} Edition des Journées Francophones de Pathologie Digestive. March 17-21, 2007, Palais des Congrès de Lyon, France.
- Nahon, P., D. Thabut, et al.** Utilité de la mesure de l'élasticité hépatique (MEH) par FibroScan® pour le diagnostic précoce d'hémorragie digestive par hypertension portale (HTP) cirrhotique. 31^{ème} Edition des Journées

- Francophones de Pathologie Digestive. March 17-21, 2007, Palais des Congrès de Lyon, France.
- Boursier, J., M. Guilluy, et al.** Mesure de la dureté hépatique par élastométrie impulsionnelle (FibroScan®) : un apprentissage est-il nécessaire ? 31^{ème} Edition des Journées Francophones de Pathologie Digestive. March 17-21, 2007, Palais des Congrès de Lyon, France.
- de Ledinghen, V., J. Foucher, et al.** Evaluation non-invasive de la régression de la fibrose hépatique dans le suivi à très long terme des malades atteints d'hépatite chronique virale C répondeurs au traitement. 31^{ème} Edition des Journées Francophones de Pathologie Digestive. March 17-21, 2007, Palais des Congrès de Lyon, France.
- de Ledinghen, V., P. Barreiro, et al.** Evaluation de la fibrose hépatique par FibroScan® et marqueurs biochimiques chez 543 malades infectés par le VHC avec ou sans co-infection VIH [Assessment of liver fibrosis using FibroScan® and biochemical markers in 543 patients with HCV and eventually HIV co-infection]. Journées Francophones de Pathologie Digestive 31^{ème} édition. March 17-21, 2007, Lyon, France.
- de Ledinghen, V., J. Foucher, et al.** Evaluation non invasive de la régression de la fibrose chez les malades VHC traités par interféron retard et Ribavirine. Etude pilote prospective contrôlée. 31^{ème} Edition des Journées Francophones de Pathologie Digestive. March 17-21, 2007, Palais des Congrès de Lyon, France.
- Castera, L., J. Foucher, et al.** Intérêt du FibroScan® et du FibroTest pour confirmer l'absence de fibrose significative chez les porteurs inactifs du virus de l'hépatite B (VHB). 31^{ème} Edition des Journées Francophones de Pathologie Digestive. March 17-21, 2007, Palais des Congrès de Lyon, France.
- Foucher, J., X. Adhoute, et al.** Diagnostic non-invasif de la cirrhose alcoolique par FibroScan® et marqueurs biochimiques. 31^{ème} Edition des Journées Francophones de Pathologie Digestive. March 17-21, 2007, Palais des Congrès de Lyon, France.
- Foucher, J., L. Castéra, et al.** Evaluation de la sévérité de la cirrhose selon différents seuils de valeurs de FibroScan® : étude prospective de 602 malades. 31^{ème} Edition des Journées Francophones de Pathologie Digestive. March 17-21, 2007, Palais des Congrès de Lyon, France.
- Robert, V., S. Bui, et al.** Intérêts du Fibroscan® dans la mucoviscidose. Journées Francophones de Pathologie Digestive 31^{ème} édition. March 17-21, 2007, Lyon, France.
- Barrault, C., J. Tran Van Nhieu, et al.** Intérêts de l'évaluation non invasive de la fibrose par élastométrie après transplantation hépatique. Journées Francophones de Pathologie Digestive 31^{ème} édition. March 17-21, 2007, Lyon, France.
- Castera, L., P. Bernard, et al.** Détection précoce de la cirrhose chez les patients atteints d'hépatite chronique C (HCC) : validation et comparaison de différents marqueurs non invasifs (score de Lok, FibroScan®, Fibrotest et APRI) Journées Francophones de Pathologie Digestive 31^{ème} édition. March 17-21, 2007, Lyon, France.
- Nguyen-Khac, E., B. Robert, et al.** Evaluation de l'élastométrie impulsionnelle ultrasonore (Fibrososcan®) dans le dépistage de la fibrose hépatique chez les patients consommateurs chroniques et excessifs d'alcool. Journées Francophones de Pathologie Digestive 31^{ème} édition. March 17-21, 2007, Lyon, France.
- Boursier, J., A. Konate, et al.** Reproductibilité de la mesure de la dureté hépatique par élastométrie impulsionnelle (FibroScan®) Journées Francophones de Pathologie Digestive 31^{ème} édition. March 17-21, 2007, Lyon, France.
- de Ledinghen, V., J. Foucher, et al.** Evaluation non invasive de la régression de la fibrose chez les malades VHC traités par interféron retard et ribavirine. Etude pilote prospective contrôlée. Journées Francophones de Pathologie Digestive 31^{ème} édition. March 17-21, 2007, Lyon, France.
- Marín Gabriel, J-C., J. de la Cruz Bértolo, et al.** Validación externa de la elastografía de transición (Fibroscan®) para la valoración de la fibrosis hepática de distintas etiologías. XXXII Congreso Nacional de la Asociación Española para el Estudio del Hígado. February 21-23, 2007, Madrid, SPAIN.
- Marín Gabriel, J-C., J. de la Cruz Bértolo, et al.** Comparación prospectiva entre la elastografía, el Apri y la prueba de Forns para la valoración de la fibrosis en pacientes con signos histológicos de enfermedad grasa del hígado no alcohólica (Eghna). XXXII Congreso Nacional de la Asociación Española para el Estudio del Hígado. February 21-23, 2007, Madrid, SPAIN.
- Castellares, C., P. Barreiro, et al.** Cirrosis hepática en pacientes infectados por VIH: etiología, epidemiología, evolución clínica y utilidad de la elastografía de transición [Liver cirrhosis in patients infected by HIV: etiology, epidemiology, clinical evolution and usefulness of the transient elastography]. XXXII Congreso Nacional de la Asociación Española para el Estudio del Hígado. February 21-23, 2007, Madrid, SPAIN.

- Marín Gabriel, J.-C.**, J. de la Cruz Bértolo, et al. Comparación prospectiva entre elastografía, APRI y test de Forns para la valoración de la fibrosis hepática en el postrasplante. Estudio preliminar. XXXII Congreso Nacional de la Asociación Española para el Estudio del Hígado. February 21-23, 2007, Madrid, SPAIN.
- Konate, A.**, V. Le Tallec, et al. Association scores sanguins, echo-doppler et élastometrie impulsionnelle pour le diagnostic de fibrose hépatique [Combination of blood markers, echo-Doppler and elastometry for the diagnosis of liver fibrosis]. 59^{èmes} Journées de l'Association Française pour l'Etude du Foie. October 4-7, 2006, Paris, France.
- de Ledinghen, V.**, M. Beaugrand, et al. Diagnostic de la fibrose hépatique par FibroScan® au cours de la stéato-hépatite métabolique (NASH) [Diagnosis of liver fibrosis with FibroScan® in the course of metabolic steato-hepatitis (NASH)]. 59^{èmes} Journées de l'Association Française pour l'Etude du Foie. October 4-7, 2006, Paris, France.
- Lemoine, M.**, S. Katsahian, et al. La mesure de l'élasticité hépatique est corrélée au gradient de pression sus-hépatique chez les malades atteints de cirrhose éthylique et/ou virale C non compliquée [Liver stiffness measurement is correlated to HVPG in patients with alcoholic and/or HCV cirrhosis without complications]. 59^{èmes} Journées de l'Association Française pour l'Etude du Foie. October 4-7, 2006, Paris, France.
- Kim, H-S.**, J. K. Kim, et al. Non-invasive assessment of liver fibrosis by measurement of stiffness in patients with hepatitis B virus infection. 12th Meeting of the Korean Association for the Study of Liver. May 26-27, 2006, Jeju Island, South Korea.
- Kettaneh, A.**, P. Marcellin, et al. Quels facteurs influencent la performance du FibroScan® pour l'évaluation de la fibrose hépatique ? [Which factors influence the FibroScan® accuracy for the assessment of liver fibrosis?] Journées Francophones de Pathologie Digestive, 30^{ème} édition March 18-22, 2006, Palais des Congrès, Paris, France.
- Foucher, J.**, L. Castera, et al. Prévalence et facteurs associés à un échec de mesure de l'élasticité hépatique par FibroScan® : étude prospective de 2114 examens [Prevalence and factors associated with failure of liver stiffness measurement using FibroScan®: a prospective study of 2114 examinations]. Journées Francophones de Pathologie Digestive, 30^{ème} édition. March 18-22, 2006, Palais des Congrès, Paris, France.
- Tanne, F.**, R. El Saouda, et al. Etude de la variabilité des mesures de l'élastométrie impulsionnelle dans le diagnostic de la fibrose hépatique. Journées Francophones de Pathologie Digestive, 30^{ème} édition. March 18-22, 2006, Palais des Congrès, Paris, France.
- Mendoza-Jimenez, J.**, E. Gómez-Dominguez, et al. Evaluación de la tasa de progression de la fibrosis en pacientes con hepatopatía por elastografía hepática (Fibroscan®) [Assessment of the fibrosis progression by hepatic elastography for patients with hepatopathy (FibroScan®)]. XXXI Congreso Nacional de la Asociación Española para el Estudio del Hígado. February 15-17, 2006, Madrid, Spain.
- Castellares, C.**, P. Barreiro, et al. Cirrhosis hepatica en pacientes infectados por VIH: etiología, epidemiología, evolucion clinica y utilidad de la elastografía de transición [Liver Cirrhosis in HIV infected patients: etiology, epidemiology, clinical evolution and interest of transient elastography]. XXXI Congreso Nacional de la Asociación Española para el Estudio del Hígado. February 15-17, 2006, Madrid, Spain.
- Ramos, B.**, M. Núñez, et al. Características clínicas y virológicas de los pacientes coinfectados por VHB y VIH [Clinical and virological characteristics for HBV-HIV co-infected patients]. XXXI Congreso Nacional de la Asociación Española para el Estudio del Hígado. February 15-17, 2006, Madrid, Spain.
- Carrión, J. A.** Diagnostic no invasivo de la fibrosis hepatica [Non-invasive diagnostic of the liver fibrosis]. XXXI Congreso Nacional de la Asociación Española para el Estudio del Hígado. February 15-17, 2006, Madrid, Spain.
- Trapero-Marugán, M.**, J. Mendoza, et al. Análisis preliminar de la utilidad de la elastografía de transición (FibroScan®) en pacientes con infección crónica por VHC y transaminasas normales [Preliminary analysis of the usefulness of transient elastography (FibroScan®) in patients with chronic hepatitis and normal transaminases]. XXXI Congreso Nacional de la Asociación Española para el Estudio del Hígado. February 15-17, 2006, Madrid, Spain.
- Parés, A.**, L. Caballería, et al. Elastografía hepática: un nuevo procedimiento no invasivo para establecer la progresión histológica de la cirrosis biliar primaria [Hepatic elastography: a new non invasive procedure to establish the histological progression in primary biliary cirrhosis]. XXXI Congreso Nacional de la Asociación Española para el Estudio del Hígado. February 15-17, 2006, Madrid, Spain.
- Mendoza-Jiménez, J.**, E. Gómez-Domínguez, et al. Evaluación de la fibrosis hepática por elastografía de transición (FibroScan®) en

patients con enfermedad hepática crónica [Assessment of the hepatic fibrosis by transient elastography (FibroScan®) for patients with chronic liver disease]. XXXI Congreso Nacional de la Asociación Española para el Estudio del Hígado. February 15-17, 2006, Madrid, Spain.

Coco, B., F. Oliveri, et al. Liver elastography, a technique to assess liver fibrosis: influence of biochemical activity. XI Congresso Nazionale delle Malattie Digestive. April 1st-5, 2006, Napoli, Italy.

Ganne-Carrie, N., V. de Ledinghen, et al. Performances de la mesure de l'élasticité hépatique (MEH) pour le diagnostic de cirrhose au cours des maladies chroniques du foie (MCF) : étude multicentrique chez 1345 malades [Accuracy liver stiffness measurement (LSM) for the diagnosis of cirrhosis in chronic liver diseases (CLD): multi center study in 1345 patients]. 57^{èmes} Journées de l'Association Française pour l'Etude du Foie. September 29-30, 2005, Bordeaux, France.

Corpechot, C., A. El Naggar, et al. Intérêt de l'élastographie impulsionnelle pour l'évaluation de la fibrose hépatique au cours des maladies cholestatiques chroniques [Interest of transient elastography for the assessment of liver fibrosis in cholestatic chronic liver diseases]. 57^{èmes} Journées de l'Association Française pour l'Etude du Foie. September 29-30, 2005, Bordeaux, France.

Marcellin, P., V. de Ledinghen, et al. Evaluation non invasive de la fibrose chez les patients atteints d'hépatite B chronique avec le FibroScan® [Non invasive assessment of liver fibrosis in patients with chronic hepatitis C using FibroScan®]. 57^{èmes} Journées de l'Association Française pour l'Etude du Foie. September 29-30, 2005, Bordeaux, France.

Castera, L., B. Le Bail, et al. Analyse prospective de la prévalence et des causes de discordances entre FibroScan® et Fibrotest lors de leur utilisation combinée en première intention pour l'évaluation non invasive de la fibrose chez les malades atteints d'hépatite chronique C (HCC) [Prospective analysis of the occurrence and causes of discrepancies between FibroScan® and Fibrotest used in combination for first line fibrosis assessment in patients with chronic hepatitis C]. 57^{èmes} Journées de l'Association Française pour l'Etude du Foie. September 29-30, 2005, Bordeaux, France.

Castera, L., A. Van Hecke, et al. "Glycomique clinique" : validation indépendante et comparaison avec le FibroScan® et le Fibrotest pour l'évaluation non invasive de

la fibrose au cours de l'hépatite chronique C ["Clinical glycomic": independent validation and comparison with FibroScan® and Fibrotest in the non invasive assessment of liver fibrosis in chronic hepatitis C]. 57^{èmes} Journées de l'Association Française pour l'Etude du Foie. September 29-30, 2005, Bordeaux, France.

de Ledinghen, V., C. Douvin, et al. Diagnostic de la fibrose hépatique et de la cirrhose par mesure de l'élasticité hépatique chez les malades co-infectés VIH-VHC. Etude prospective multicentrique [Liver fibrosis and cirrhosis diagnosis using liver stiffness measurement in HIV and HCV co-infected patients. Multi center prospective study] 57^{èmes} Journées de l'Association Française pour l'Etude du Foie. September 29-30, 2005, Bordeaux, France.

Lamireau, T., B. Le Bail, et al. Le FibroScan® permet le diagnostic non-invasif de la fibrose hépatique chez l'enfant : comparaison prospective avec le Fibrotest et la ponction biopsie hépatique [FibroScan® allows non invasive diagnosis of liver fibrosis in children: prospective comparison with Fibrotest and liver biopsy]. 57^{èmes} Journées de l'Association Française pour l'Etude du Foie. September 29-30, 2005, Bordeaux, France.

Melin, P., A. Dacon, et al. Interest of the FibroScan® in the screening of cirrhosis in patients attending alcoholism consultation. 40th Annual Meeting of the European Association for the study of the Liver. April 13-17, 2005, Palais des Congrès, Paris, France.

Coco, B., F. Oliveri, et al. Monitoring liver elasticity a new tool to measure liver fibrosis during therapy. 40th Annual Meeting of the European Association for the study of the Liver. April 13-17, 2005, Palais des Congrès, Paris, France.

Kazemi, F., E. Pinto, et al. La mesure de l'élasticité du foie permet de prévoir la présence de varices oesophagiennes chez les malades atteints de cirrhose [Liver stiffness measurements allow prediction of the presence of oesophageal varices in patients with cirrhosis]. Journées Francophones de Pathologie Digestive, 29^{ème} édition. April 2-6, 2005, Palais des Congrès, Paris, France.

Melin, P., A. Dacon, et al. Intérêt du FibroScan® dans le dépistage de la cirrhose chez les patients atteints de consultation d'alcoologie [Interest of the FibroScan® in the screening of cirrhosis in patients attending alcoholism consultation]. Journées Francophones de Pathologie Digestive, 29^{ème} édition. April 2-6, 2005, Palais des Congrès, Paris, France.

- Foucher, J., J. Vergniol, et al.** Le FibroScan®, une nouvelle méthode non-invasive pour l'évaluation de la fibrose hépatique : résultats d'une étude prospective comparative avec la biopsie hépatique, le FibroTest, l'acide hyaluronique, la taux de prothrombine, le score APRI, le ratio ASAT/ALAT et le score de Forns [*FibroScan® a novel non invasive method for the assessment of liver fibrosis: results of a prospective study comparing with liver biopsy, FibroTest, hyaluronic acid, prothrombin time, APRI score, ASAT/ALAT ratio and Forns score*]. Journées Francophones de Pathologie Digestive, 29^{ème} édition. April 2-6, 2005, Palais des Congrès, Paris, France.
- Chanteloup, E., J. Vergniol, et al.** Quelle est la signification clinique du FibroScan® au cours de la cirrhose ? [*What is the clinical meaning of FibroScan® during the course of cirrhosis?*]. Journées Francophones de Pathologie Digestive, 29^{ème} édition. April 2-6, 2005, Palais des Congrès, Paris, France.
- Lamireau, T., B. Le Bail, et al.** Le FibroScan®, une nouvelle méthode non-invasive pour l'évaluation de la fibrose hépatique chez l'enfant : résultats d'une étude prospective comparative avec le Fibrotest® et la biopsie hépatique. [*FibroScan®, a novel non invasive method for the assessment of liver fibrosis in children: results of a prospective study comparing with FibroTest® and liver biopsy*]. Journées Francophones de Pathologie Digestive, 29^{ème} édition. April 2-6, 2005, Palais des Congrès, Paris, France.
- Bourlière, M.** Comment évaluer la fibrose hépatique en dehors de la PBH ? Journée Francophone de Pathologie Digestive, 29^{ème} édition. April 2-6, 2005, Palais de Congrès, Paris, France.
- Nahon, P., M. Ziol, et al.** La mesure de l'élasticité du foie (MEF) améliore la prédiction du score de fibrose par le clinicien expérimenté chez les malades ayant une hépatite chronique C [*Liver stiffness measurement (LSM) improves fibrosis stage prediction by experienced clinician in patients with chronic hepatitis C*]. 55^{èmes} Journées de l'Association Française pour l'Etude du Foie (AFEF). September 29-October 2nd, 2004, Paris, France.
- Vergniol, J., E. Chanteloup, et al.** Le FibroScan® : une nouvelle méthode non invasive de diagnostic de la cirrhose et de ses complications au cours des maladies chroniques du foie. Résultats d'une étude prospective chez 456 malades [*FibroScan®: a new non invasive method to diagnose cirrhosis and its complications in chronic liver diseases - Results of a prospective study in 456 patients*]. 55^{èmes} Journées de l'Association Française pour l'Etude du Foie (AFEF). Sept.29-Oct 2nd 2004, Paris, France
- Castera, L., J. Vergniol, et al.** Le FibroScan®, une nouvelle méthode non-invasive pour l'évaluation de la fibrose hépatique dans l'hépatite chronique C : résultats d'une étude prospective comparative avec la biopsie hépatique, le FibroTest® et le score APRI [*FibroScan®, a new non invasive method for liver stiffness assessment in chronic hepatitis C : results of a prospective comparative study with liver biopsy, FibroTest® and APRI*]. . 55^{èmes} Journées de l'Association Française pour l'Etude du Foie (AFEF). Sept.29-October 2nd, 2004, Paris, France.
- Beaugrand, M., M. Ziol, et al.** Une nouvelle méthode non invasive de quantification de la fibrose hépatique : l'élastographie impulsionnelle - Résultats chez 220 malades atteints d'hépatite chronique virale [*A new noninvasive method to quantify liver fibrosis: transient elastography - Results in 220 patients with chronic viral hepatitis*]. Journées Francophones de Pathologie Digestive, 28^{ème} édition. April 3-7, 2004, Palais des Congrès, Paris, France.
- Christidis, C., L. Sandrin, et al.** L'élasticité du foie est-elle un reflet de la fibrose hépatique ou peut-on évaluer la fibrose par une méthode non invasive ? Résultat d'une étude pilote par élastographie. [*Is liver elasticity a good reflect of liver fibrosis or is-it possible to evaluate liver fibrosis in a noninvasive manner? Results of a pilot study by elastography*]. Journées Francophones de Pathologie Digestive, 27^{ème} édition. March 29-April 2nd, 2003, Palais des Congrès, Paris, France.
- Christidis, C.** Intérêt de l'élastographie impulsionnelle en hépatologie [*Interest of transient elastography in hepatology*]. 22^{ème} Congrès Brestois d'Hépatologie Gastroentérologie. June 27-28, 2003, Landerneau, France.

EchoSens, the EchoSens logo, FibroScan, the FibroScan logo are registered trademarks of EchoSens Company.
© 2007, EchoSens, 75013 Paris, France www.echosens.com