



PUBLICATIONS AND COMMUNICATIONS

07/01/11



FibroScan[®]

PUBLICATIONS

48. M. Rendina, A. Schena, N. M. Castellaneta, F. Losito, A. C. Amoruso, G. Stallone, F. P. Schena, A. Di Leo, A. Francavilla. The treatment of chronic hepatitis C with peginterferon alfa-2a (40KD) plus ribavirin in haemodialysed patients awaiting renal transplant. *Journal of Hepatology* 2007 (*in press*).
47. A. Kettaneh, P. Marcellin, C. Douvin, R. Poupon, M. Ziol, M. Beaugrand, V. de Ledinghen. Features associated with success rate and performance of FibroScan measurements for the diagnosis of cirrhosis in HCV patients: a prospective study of 935 patients. *Journal of Hepatology* 2007 (*in press*).
46. E. Nguyen-Khac. [*Results and place of FibroScan® in the non-invasive diagnosis of hepatic fibrosis*]. *La Revue de Médecine Interne* 2006 (*in press*).
45. V. de Ledinghen, P. Trimoulet, P.R. Mannant, F. Dumas, P. Champbenoit, C. Baldit, J. Foucher, M. Faure, J. Vergniol, L. Castéra, J. Bertet, H. Fleury, P. Couzigou, P.H. Bernard. Outbreak of hepatitis C virus infection during sclerotherapy of varicose veins: long-term follow-up of 196 patients (4535 patients-years). *Journal of Hepatology* 2007;46:19-25.
44. T. Takeda, T. Yasuda, Y. Nakayama, M. Nakaya, M. Kimura, M. Yamashita, A. Sawada, K. Abo, S. Takeda, H. Sakaguchi, S. Shiomi, H. Asai, S. Seki. Usefulness of noninvasive transient elastography for assessment of liver fibrosis stage in chronic hepatitis C. *World Journal of Gastroenterology* 2006; 12:7768-7773.
43. T. Kelleher, N. Afdhal. Assessment of liver fibrosis in co-infected patients. *Journal of Hepatology* 2006;44:S126-S131.
42. A. Erhardt, J. Lorke, C. Vogt, C. Poremba, R. Willers, A. Sagir, D. Haussinger. [*Transient elastography for diagnosing liver fibrosis*]. *Deutsche Medizinische Wochenschrift* 2006;131:2765-2769.
41. N. Ganne-Carrie, M. Ziol, V. de Ledinghen, C. Douvin, P. Marcellin, L. Castera, D. Dhumeaux, J.C. Trinchet, M. Beaugrand. Accuracy of liver stiffness measurement for the diagnosis of cirrhosis in patients with chronic liver diseases. *Hepatology* 2006;44:1511-1517.
40. J.A. Carrion, M. Navasa, J. Bosch, M. Bruguera, R. Gilibert, X. Forns. Transient elastography for diagnosis of advanced fibrosis and portal hypertension in patients with hepatitis C recurrence after liver transplantation. *Liver Transplantation* 2006;12:1791-1797.
39. P. Nahon, G. Thabut, M. Ziol, M. Tin-Tin Htar, F. Cesaro, N. Barget, V. Grando-Lemaire, N. Ganne-Carrie, J.C. Trinchet, M. Beaugrand. Liver Stiffness Measurement versus Clinicians' Prediction or Both for the Assessment of Liver Fibrosis in Patients with Chronic Hepatitis C. *American Journal of Gastroenterology* 2006;101:2744-2751.
38. E. Nguyen-Khac, D. Capron. Noninvasive diagnosis of liver fibrosis by ultrasonic transient elastography (FibroScan). *European Journal of Gastroenterology and Hepatology* 2006;18:1321-1325.
37. I. Maida, V. Soriano, C. Castellares, B. Ramos, G. Sotgiu, L. Martin-Carbonero, P. Barreiro, P. Rivas, J. Gonzalez-Lahoz, M. Nunez. Liver fibrosis in HIV-infected patients with chronic hepatitis B extensively exposed to antiretroviral therapy with anti-HBV activity. *HIV Clinical Trials* 2006;7(5):246-250.
36. G. Sebastiani, A. Alberti. Non invasive fibrosis biomarkers reduce but not substitute the need for liver biopsy. *World Journal of Gastroenterology* 2006;12(23):3682-3694.
35. J. Murtagh, V. Foerster. Transient elastography (FibroScan) for non-invasive assessment of liver fibrosis. *Issues in emerging health technologies* 2006;90:1-4.
34. J. Guechot. [*Noninvasive assessment of liver fibrosis in patients with chronic hepatitis C*]. *La Presse Médicale* 2006;35:1317-1326.
33. C. Corpechot, A. El Naggar, R. Poupon. Gender and liver: is the liver stiffness weaker in weaker sex? *Hepatology* 2006;44(2):513-514.
32. E. Gomez-Dominguez, J. Mendoza, S. Rubio, J.A. Moreno-Monteagudo, L. Garcia-Buey, R. Moreno-Otero. Transient elastography: a valid alternative to biopsy in patients with chronic liver disease. *Alimentary Pharmacology & Therapeutics* 2006;24(3):513-518.
31. M. Kawamoto, T. Mizuguchi, T. Katsuramaki, M. Nagayama, H. Oshima, H. Kawasaki, Y. Kimura, K. Hirata. Assessment of liver fibrosis by noninvasive method of transient elastography and biochemical markers. *World Journal of Gastroenterology* 2006;12(27):4325-4330.
30. J. Bosch. Predictions from a hard liver. *Journal of Hepatology* 2006;45(2):174-177.
29. F. Kazemi, A. Kettaneh, G. N'Kontchou, E. Pinto, N. Ganne-Carrie, J.C. Trinchet, M. Beaugrand.

- Liver stiffness measurement selects patients with cirrhosis at risk of bearing large oesophageal varices. *Journal of Hepatology* 2006;45(2):230-235.
28. C. Vereer, R.J. de Knegt. Non-invasive measurement of liver fibrosis: application of the FibroScan in hepatology. *Scandinavian Journal of Gastroenterology Suppl.* 2006;243:85-88.
 27. R. Moreno-Otero, M. Trapero-Marugan, J. Mendoza. Liver fibrosis assessment by transient elastography in hepatitis C patients with normal alanine aminotransferase. *Gut* 2006;55(7):1055-6.
 26. M. Lemoine. [*Place and perspectives of diagnosis with FibroScan*]. *Gastroentérologie Pratique*. 2006 June 1st.
 25. J.W. Luo, J.H. Shao, J. Bai, L.G. Cui, J.R. Wang. [*Using non-invasive transient elastography for the assessment of hepatic fibrosis*]. *Zhonghua Gan Bing Za Zhi* 2006;14(5):395-397.
 24. K. Cherry. Accurate detection of cirrhosis by transient elastography. *Nature Clinical Practice Gastroenterology and Hepatology* 2006;3(5):243-4.
 23. M. Beaugrand. [*Fibroscan: instructions for use*]. *Gastroentérologie Biologique et Clinique* 2006;30(4):513-4.
 22. N. Masaki, M. Imamura, Y. Kikuchi, S. Oka. Usefulness of elastometry in evaluating the extents of liver fibrosis in hemophiliacs co-infected with hepatitis C virus and human immunodeficiency virus. *Hepatology Research* 2006;35:135-139.
 21. I. Maida, M. Nunez, M. Jose Rios, L. Martin-Carbonero, G. Sotgiu, C. Toro, P. Rivas, P. Barreiro, M.S. Mura, S. Babudieri, J. Garcia-Samaniego, J. Gonzalez-Lahoz, V. Soriano. Severe liver disease associated with prolonged exposure to antiretroviral drugs. *Journal of Acquired Immune Deficiency Syndromes* 2006;42(2):177-182.
 20. L. Sandrin, C. Fournier, V. Miette, S. Yon, J.M. Hasquenoph. FibroScan® : un outil non invasif de mesure de la dureté du foie par élastométrie [*FibroScan®: a noninvasive device that measures liver stiffness by transient elastography*]. *ITBM-RBM* 2006;27:25-31.
 19. D. Laharie, F. Zerbib, X. Adhoute, X. Boué-Lahorgue, J. Foucher, L. Castera, A. Rullier, J. Bertet, P. Couzigou, M. Amouretti, V. de Ledinghen. Diagnosis of liver fibrosis by transient elastography (FibroScan®) and non-invasive methods in Crohn's disease patients treated with methotrexate. *Alimentary Pharmacology & Therapeutics* 2006;23:1621-1628.
 18. C. Corpechot, A. El Naggar, A. Poujol-Robert, M. Zioli, D. Wendum, O. Chazouillères, V. de Ledinghen, D. Dhumeaux, P. Marcellin, M. Beaugrand, R. Poupon. Assessment of biliary fibrosis by transient elastography in PBC and PSC patients. *Hepatology* 2006;43(5):1118-1124.
 17. P. Barreiro, L. Martin-Carbonero, M. Nunez, P. Rivas, A. Morente, N. Simarro, P. Labarga, J. Gonzalez-Lahoz, V. Soriano. Predictors of liver fibrosis in HIV-infected patients with chronic hepatitis C virus (HCV) infection: assessment using transient elastometry and the role of HCV genotype 3. *Clinical Infectious Diseases* 2006;42(7):1032-9.
 16. M. Beaugrand. How to assess liver fibrosis and for what purpose? *Journal of Hepatology* 2006;44(3):444-445.
 15. J. Foucher, L. Castera, P.H. Bernard, X. Adhoute, D. Laharie, J. Bertet, P. Couzigou, V. de Ledinghen. Prevalence and factors associated with failure of liver stiffness measurement using FibroScan® in a prospective study of 2114 examinations. *European Journal of Gastroenterology and Hepatology* 2006;18(4):411-412.
 14. J. Mendoza, E. Gomez-Dominguez, R. Moreno-Otero. [*Transient elastography (Fibroscan?), a new non-invasive method to evaluate hepatic fibrosis*]. *Medicina Clinica* 2006;126(6):220-222.
 13. V. de Ledinghen, C. Douvin, A. Kettaneh, M. Zioli, D. Roulot, P. Marcellin, D. Dhumeaux, M. Beaugrand. Diagnosis of hepatic fibrosis and cirrhosis by transient elastography (FibroScan®) in HIV-HCV co-infected patients. *Journal of Acquired Immune Deficiency Syndromes* 2006;41(2):175-179.
 12. J. Foucher, E. Chanteloup, L. Castéra, J. Vergniol, B. Le Bail, X. Adhoute, P. Couzigou, V. de Ledinghen. Diagnosis of cirrhosis and its complications by transient elastography (FibroScan®): A prospective study. *Gut* 2006;55:403-408.
 11. P. Melin, A. Dacon, A. Gauchet, M. Schoeny, M.D. Diebold. Dépistage non invasif de la fibrose - Intérêt du FibroScan® en consultation d'alcoologie [*Non invasive detection of liver fibrosis – Value of FibroScan® in alcohol consulting out-patients*]. *Alcoologie et Addictologie* 2005;27(3):191-196.
 10. T.B. Kelleher, N. Afdhal. Noninvasive assessment of liver fibrosis. *Clinics in Liver Disease* 2005;9(4):667-683.
 9. J.F. Blanc, P. Bioulac-Sage, C. Balabaud, A. Desmouliere. Investigation of liver fibrosis in clinical practice. *Hepatology Research* 2005;27.
 8. P. Sogni, D. Salmon-Ceron, P. Dodevin. [*Management of cirrhosis complications in HIC patients*

- coinfected with hepatitis B or C virus.*] La Presse Médicale 2005;34(20):1579-1783.
7. L. Castera, J. Foucher, J. Bertet, P. Couzigou, V. de Ledinghen. FibroScan and FibroTest to assess fibrosis in HCV with normal aminotransferases. *Hepatology* 2006;43(2):373-374.
 6. M. Ghany, E. Doo. Assessment of liver fibrosis: palpate, poke or pulse? *Hepatology* 2005;42(4):759-761.
 5. C. Colletta, C. Smirne, C. Fabris, P. Toniutto, R. Rapetti, R. Minisini, M. Pirisi. Value of two noninvasive methods to detect progression of fibrosis among HCV carriers with normal aminotransferases. *Hepatology* 2005;42(4):838-845.
 4. L. Castera, J. Vergniol, J. Foucher, B. Le Bail, E. Chanteloup, M. Haser, M. Darriet, P. Couzigou, V. de Lédighen. Prospective comparison of transient elastography, Fibrotest, APRI and liver biopsy for the assessment of fibrosis in chronic hepatitis C. *Gastroenterology* 2005;128:343-350.
 3. M. Ziol, A. Handra-Luca, A. Kettaneh, C. Christidis, F. Mal, F. Kazemi, V. de Lédighen, P. Marcellin, D. Dhumeaux, J.C. Trinchet, M. Beaugrand. Non-invasive assessment of liver fibrosis by stiffness measurement: a prospective multicentre study in patients with chronic hepatitis C. *Hepatology* 2005;41(1):48-54.
 2. H. Saito, S. Tada, N. Nakamoto, K. Kitamura, H. Horikawa, S. Kurita, Y. Saito, H. Iwai and H. Ishii. Efficacy of non-invasive elastometry on staging of hepatic fibrosis. *Hepatology Research* 2004;29:97-103.
 1. L. Sandrin, B. Fourquet, J.M. Hasquenoph, S. Yon, C. Fournier, F. Mal, C. Christidis, M. Ziol, B. Poulet, F. Kazemi, M. Beaugrand and R. Palau. Transient elastography: a new non-invasive method for assessment of hepatic fibrosis. *Ultrasound in Medicine and Biology* 2003;29(12):1705-1713.

INTERNATIONAL COMMUNICATIONS

81. M. Lemoine, S. Katsahian, P. Nahon, N. Ganne-Carrie, F. Kazemi, V. Grando, J.C. Trinchet, M. Beaugrand. Liver stiffness measurement is correlated with hepatic venous pressure gradient in patients with uncomplicated alcoholic and/or HCV related-cirrhosis. 57th Annual Meeting of the American Association for the Study of Liver Diseases. October 27-31, 2006, Boston, MA, USA.
80. C. Rigamonti, F. Donato, M. Fraquelli, F. Agnelli, G. Ronchi, G. Rossi, M. Colombo. Transient elastography (TE, Fibroscan®) in the evaluation of recurrent disease after liver transplantation (LT). 57th Annual Meeting of the American Association for the Study of Liver Diseases. October 27-31, 2006, Boston, MA, USA.
79. M. Fraquelli, C. Rigamonti, D. Conte, G. Casazza, F. Donato, G. Ronchi, M. Colombo. Reproducibility of transient elastography (TE) in assessing hepatic fibrosis. 57th Annual Meeting of the American Association for the Study of Liver Diseases. October 27-31, 2006, Boston, MA, USA.
78. L.A. Servin-Abad, L.J. Jeffers, P. Bejarano, P. Casanova-Romero, M. de Medina, A. Brown, J. Stamates, A. Regev, H. Yoshida, E.R. Schiff. Correlation between liver histology, laparoscopic gross appearance and elasticity measured with the shear elasticity probe (FibroScan) in patients with chronic liver disease. 57th Annual Meeting of the American Association for the Study of Liver Diseases. October 27-31, 2006, Boston, MA, USA.
77. R. Farnan, F. Heitor, I. Nasser, M. Curry, N. Afdhal. Optimization of the diagnosis of cirrhosis comparing clinical, biochemical and radiological features with liver stiffness by FibroScan. 57th Annual Meeting of the American Association for the Study of Liver Diseases. October 27-31, 2006, Boston, MA, USA.
76. Y. Fukuzawa, S. Kizawa, T. Ohashi, E. Matsumoto, K. Sato, M. Ayada, N. Hotta, A. Okumura, T. Ishikawa, S. Kakumu. Efficacy of non-invasive hepatic fibrosis quantified-evaluation by liver elasticity measurement in nonalcoholic steatohepatitis (NASH) -comparison of ultrasonic transient elastography and histopathological diagnosis. 57th Annual Meeting of the American Association for the Study of Liver Diseases. October 27-31, 2006, Boston, MA, USA.
75. T. Takeda, T. Yasuda, M. Kimura, M. Nakaya, H. Fujii, Y. Nakayama, H. Sakaguchi, S. Seki. Noninvasive diagnosis of non alcoholic steatohepatitis using elastometry. 57th Annual Meeting of the American Association for the Study of Liver Diseases. October 27-31, 2006, Boston, MA, USA.
74. J. Kim, H. Kim, Y. Park, S. Ahn, J. Kim, Y. Paik, K. Lee, C. Chon, Y. Moon, K. Han. Transient elastography: a new and useful non-invasive method in determination of endoscopic surveillance for esophageal varices in hepatitis B related compensated cirrhosis. 57th Annual Meeting of the American Association for the Study of Liver Diseases. October 27-31, 2006, Boston, MA, USA.

73. C. Baldaia, F. Serejo, R. Marinho, A. Costa, J. Velosa, M. Carneiro de Moura. Transient elastography in chronic hepatitis C: comparison between different noninvasive methods for liver fibrosis assessment. 57th Annual Meeting of the American Association for the Study of Liver Diseases. October 27-31, 2006, Boston, MA, USA.
72. F. Serejo, R. Marinho, A. Costa, J. Velosa, A. Fernandes, M. Carneiro de Moura. Transient elastography (Fibroscan®) in chronic hepatitis C. Will it modify the assessment and the follow-up of treated patients? 57th Annual Meeting of the American Association for the Study of Liver Diseases. October 27-31, 2006, Boston, MA, USA.
71. P. Barreiro, C. Castellares, P. Labarga, A. Ruiz-Sancho, J. García-Samaniego, M. Romero, V. Soriano. Liver cirrhosis in HIV-infected patients: etiology, epidemiology, clinical complications and utility of transient elastometry. 57th Annual Meeting of the American Association for the Study of Liver Diseases. October 27-31, 2006, Boston, MA, USA.
70. E. Gomez-Dominguez, J.M. Jiménez-Ridruejo, J.A. Moreno Monteagudo, L. Garcia-Buey, A. Bienvenido, R. Moreno-Otero. Efficiency of liver stiffness measurement (FibroScan®) for the follow up of patients with primary biliary cirrhosis. 57th Annual Meeting of the American Association for the Study of Liver Diseases. October 27-31, 2006, Boston, MA, USA.
69. C. Bureau, S. Metivier, J. Peron, D. Bonnet, M. Robic, O. Rouquet, E. Dupuis, N. Hrycewycz, K. Barange, L. Alric, J. Vinel. Prospective assessment of liver stiffness for the non-invasive diagnosis of portal hypertension. 57th Annual Meeting of the American Association for the Study of Liver Diseases. October 27-31, 2006, Boston, MA, USA.
68. A. Poujol-Robert, M. Lewin, P. Boëlle, D. Wendum, E. Lasnier, C. Hoeffel, L. Arrivé, J. Tubiana, R. Poupon. Diffusion-weighted MR imaging for the diagnosis of liver fibrosis in patients with chronic hepatitis C. 57th Annual Meeting of the American Association for the Study of Liver Diseases. October 27-31, 2006, Boston, MA, USA.
67. P. Nahon, A. Kettaneh, M. Lemoine, O. Seror, V. Grando, N. Barget, V. Bourcier, G. N'kontchou, J.C. Trinchet, M. Beaugrand, N. Ganne-Carrie. Liver stiffness measurement (LSM) by Fibroscan in cirrhotic patients with small hepatocellular carcinoma (HCC): retrospective study comparing 50 cases with 197 compensated Child-Pugh A cirrhotic patients without HCC. 57th Annual Meeting of the American Association for the Study of Liver Diseases. October 27-31, 2006, Boston, MA, USA.
66. D. Roulot, J.L. Costes, H. Le Clesiau, V. Grando, M. Beaugrand. Liver stiffness values in subjects without known risk factor for chronic liver diseases. 57th Annual Meeting of the American Association for the Study of Liver Diseases. October 27-31, 2006, Boston, MA, USA.
65. D. Roulot, S. Czernichow, H. Le Clesiau, J.L. Costes, P. Valensi, M. Beaugrand. Influence of metabolic syndrome on liver stiffness measurement in subjects without overt liver disease. 57th Annual Meeting of the American Association for the Study of Liver Diseases. October 27-31, 2006, Boston, MA, USA.
64. M. Ziol, P. Marcellin, C. Douvin, V. de Ledinghen, R. Poupon, M. Beaugrand. Liver stiffness cut-off values in HCV patients: validation and comparison in an independent population. 57th Annual Meeting of the American Association for the Study of Liver Diseases. October 27-31, 2006, Boston, MA, USA.
63. V. de Ledinghen, P. Barreiro, L. Castera, P. Labarga, J. Foucher, N. Simarro, P.H. Bernard, A. Ruiz-Sancho, C. Castellares, J. Bertet, V. Soriano. Liver fibrosis estimation by FibroScan and biochemical markers according to HIV serostatus in two large cohorts of patients with chronic hepatitis C. 57th Annual Meeting of the American Association for the Study of Liver Diseases. October 27-31, 2006, Boston, MA, USA.
62. V. de Ledinghen, L. Castera, J. Foucher, R. Tournan, P.H. Bernard, G. Moisset, X. Moncoucy, J. Bertet, P. Couzigou. Evaluation of fibrosis evolution using non-invasive methods according to sustained virological response in HCV patients. A pilot prospective controlled study. 57th Annual Meeting of the American Association for the Study of Liver Diseases. October 27-31, 2006, Boston, MA, USA.
61. V. de Ledinghen, J. Foucher, L. Castera, P.H. Bernard, M. Salzman, G. Moisset, W. Merrouche, P. Couzigou. Evaluation of fibrosis regression using non-invasive methods in very long-term follow-up of HCV responder patients. 57th Annual Meeting of the American Association for the Study of Liver Diseases. October 27-31, 2006, Boston, MA, USA.
60. J. Foucher, L. Castera, X. Adhoute, B. Fleury, X. Moncoucy, M. Salzman, C. Lortet, J. Bertet, V. de Ledinghen. Assessment of the severity of cirrhosis according to different values of FibroScan: a prospective study. 57th Annual Meeting of the American Association for the Study of Liver Diseases. October 27-31, 2006, Boston, MA, USA.
59. L. Castera, J. Foucher, P.H. Bernard, J. Bertet, P. Couzigou, V. de Ledinghen. Transient elastography (FibroScan) and FibroTest to assess liver fibrosis in inactive hepatitis B carriers: a

- prospective controlled study. 57th Annual Meeting of the American Association for the Study of Liver Diseases. October 27-31, 2006, Boston, MA, USA.
58. P. Calès, P. Veillon, E. Mathieu, C. Ternisien, A. Chevaller, A. Godon, Y. Gallois, Y. Tourmen, F. Joubaud, I. Hubert-Fouchard, F. Oberti, S. Réaud, F. Mauriat, F. Lunel. Reproducibility of blood scores of liver fibrosis. 57th Annual Meeting of the American Association for the Study of Liver Diseases. October 27-31, 2006, Boston, MA, USA.
 57. J. Boursier, M. Guilluy, G. Gorea, E. Quemener, A. Konate, S. Reaud, I. Hubert-Fouchard, F. Oberti, N. Dib, P. Cales. Liver stiffness measurement by transient elastography (Fibroscan): is training necessary? 57th Annual Meeting of the American Association for the Study of Liver Diseases. October 27-31, 2006, Boston, MA, USA.
 56. J. Boursier, A. Konate, S. Reaud, E. Quemener, I. Fouchard-Hubert, F. Oberti, P. Cales. Liver stiffness measurement by transient elastography: predictive factors of accuracy, success and reproducibility. 57th Annual Meeting of the American Association for the Study of Liver Diseases. October 27-31, 2006, Boston, MA, USA.
 55. V. Le Tallec, J. Le Bigot, G. Gorea, S. Reaud, J. Boursier, A. Konate, E. Quemener, Y. Gallois, I. Fouchard-Hubert, F. Oberti, S. Michalak, M.C. Rousselet, C. Aubé, P. Cales. Combination of blood scores, Doppler ultrasonography, and transient elastography for the diagnosis of liver fibrosis. 57th Annual Meeting of the American Association for the Study of Liver Diseases. October 27-31, 2006, Boston, MA, USA.
 54. M. Bary, D. Touzeau, K. Asselah, J. Lherm, A. Bendjebbour, A. Boukhemair, Contribution of the FibroScan® to healthcare access for drug users and precarious population: Observational study. 68th Annual Scientific Meeting of the College on Problems of Drug Dependence. June 17-22, 2006, Scottsdale, AZ, USA.
 53. T.B. Kelleher, C. MacFarlane, V. De Ledinghen, M. Beaugrand, J. Foucher, L. Castera, M. Zioli, N. Ganne, N. Afdhal. Risk factors and hepatic elastography (Fibroscan) in the prediction of hepatic fibrosis in non alcoholic steatohepatitis. Digestive Disease Week 2006. May 20-25, 2006, Los Angeles, USA.
 62. L. Castera, J. Foucher, B. Le Bail, P.H. Bernard, J. Bertet, P. Couzigou, V. de Ledinghen. Prospective and independent validation of the Lok index for prediction of cirrhosis in patients with chronic hepatitis C: comparison with FibroScan, Fibrotest and APRI. Digestive Disease Week 2006. May 20-25, 2006, Los Angeles, USA.
 61. Y. Fukuzawa, T. Ohashi, E. Matsumoto, K. Sato, M. Ayada, N. Hotta, A. Okumura, T. Ishikawa, S. Kakumu. Efficacy of non-invasive hepatic fibrosis quantification by liver elasticity measurement in nonalcoholic steatohepatitis (NASH) - Comparison of ultrasonic transient elastography and histopathological diagnosis. Digestive Disease Week 2006. May 20-25, 2006, Los Angeles, USA.
 60. M. Munteanu, Y. Ngo, M. De Torres, D. Messous, P. Lebray, V. Ratziu, T. Poynard. Three-dimensional and metabolic variability of fibroscan (transient elastography) measures in healthy volunteers. Digestive Disease Week 2006. May 20-25, 2006, Los Angeles, USA.
 59. V. de Ledinghen, D. Laharie, J. Foucher, P. Bernard, L. Castera, X. Adhoute, J. Bertet, P. Couzigou. Assessment of cirrhosis and its severity by FibroScan and biochemical markers in alcoholic patients. Digestive Disease Week 2006. May 20-25, 2006, Los Angeles, USA.
 58. S. Jeon, C. Cho, Y. Park, Y. Jung, W. Tak, Y. Kweon, S. Kim, Y. Choi. Correlation between liver elasticity measured by Fibroscan® and liver fibrosis assessed by histology; Preliminary study in Korea. Digestive Disease Week 2006. May 20-25, 2006, Los Angeles, USA.
 57. J. Foucher, L. Castera, P.H. Bernard, X. Adhoute, J. Bertet, P. Couzigou, V. de Ledinghen. Assessment of cirrhosis and its severity by FibroScan® and biochemical markers in alcoholic patients. 41st Annual Meeting of the European Association for the Study of Liver. April 26-30, 2006, Vienna, Austria.
 56. J.A. Carrion, M. Navasa, X. Forns. Transient elastography to evaluate the severity of hepatitis C recurrence after liver transplantation. 41st Annual Meeting of the European Association for the Study of Liver. April 26-30, 2006, Vienna, Austria.
 55. V. De Ledinghen, M. Beaugrand, T.B. Kelleher, J. Foucher, L. Castera, M. Zioli, N. Ganne, M. Lai, N.H. Afdhal. Prediction of liver fibrosis in non alcoholic steatohepatitis (NASH): risk factors and diagnostic potential of liver elasticity using Fibroscan. 41st Annual Meeting of the European Association for the Study of Liver. April 26-30, 2006, Vienna, Austria.
 54. A. Konate, S. Reaud, E. Quemener, I. Hubert, F. Oberti, P. Cales. Liver stiffness measurement (LSM) by transient elastography: predictive factors of accuracy, success and reproducibility. 41st Annual Meeting of the European Association for the Study of Liver. April 26-30, 2006, Vienna, Austria.
 53. X. Adhoute, J. Foucher, L. Castera, B. Lovato, D. Laharie, J. Bertet, P. Couzigou, V. de Ledinghen.

- Is liver stiffness measurement useful in genetic hemochromatosis and hemosiderosis? 41st Annual Meeting of the European Association for the Study of Liver. April 26-30, 2006, Vienna, Austria.
52. V. de Ledinghen, L. Castera, J. Foucher, R. Tournan, P.H. Bernard, J. Bertet, P. Couzigou. Evaluation of fibrosis regression using FibroScan® in HCV responder patients. A prospective controlled study. 41st Annual Meeting of the European Association for the Study of Liver. April 26-30, 2006, Vienna, Austria.
 51. L. Castera, J. Foucher, B. Le Bail, P.H. Bernard, J. Bertet, P. Couzigou, V. de Ledinghen. Prospective and independent validation of the Lok index for prediction of cirrhosis in patients with chronic hepatitis C: comparison with Fibroscan, Fibrotest and APRI. 41st Annual Meeting of the European Association for the Study of Liver. April 26-30, 2006, Vienna, Austria.
 50. L. Castera, J. Foucher, P.H. Bernard, A. Sando, J. Bertet, P. Couzigou, V. de Ledinghen. Prospective comparison of FibroScan and FibroTest in inactive hepatitis B carriers. 41st Annual Meeting of the European Association for the Study of Liver. April 26-30, 2006, Vienna, Austria.
 49. V. Grando-Lemaire, V. De Ledinghen, V. Bourcier, N. Ganne-Carrie, J.C. Trinchet, M. Beaugrand. Liver stiffness measurement (LSM) as a tool to measure liver fibrosis in treated patients with chronic hepatitis C (CHC). 41st Annual Meeting of the European Association for the Study of Liver. April 26-30, 2006, Vienna, Austria.
 48. F. Corradi, F. Piscaglia, A. D'Errico-Grigioni, F. Vasuri, F.W. Grigioni, A. Venturi, A. Lanzi, L. Bolondi. Staging of hepatic fibrosis by liver elastometry (FibroScan) in recurrent HCV infection in liver transplant recipients. 41st Annual Meeting of the European Association for the Study of Liver. April 26-30, 2006, Vienna, Austria.
 47. P. Barreiro, L. Martín-Carbonero, M. Núñez, P. Rivas, A. Morente, N. Simarro, P. Labarga, J. González-Lahoz, V. Soriano. Predictors of liver fibrosis in HIV-infected patients with chronic hepatitis C. 13th Conference on Retroviruses and Opportunistic Infections, February 5-8, 2006, Denver, USA.
 46. P. Barreiro, P. Labarga, N. Simarro, M. Núñez, L. Martín-Carbonero, M. Romero, P. Rivas, J. García-Samaniego, J. González-Lahoz, V. Soriano. Sustained virological response following HCV therapy is associated with regression of liver fibrosis in HCV/HIV-coinfected patients. 13th Conference on Retroviruses and Opportunistic Infections, February 5-8, 2006, Denver, USA.
 45. A. Khokhar, R. Farnan, C. MacFarlane, B. Bacon, J. McHutchison, N. Afdhal. Liver stiffness and Biomarkers: Correlation with cirrhosis, portal hypertension and hepatic synthetic function. 56th Annual Meeting of the American Association for the Study of Liver Diseases. November 11 - 15, 2005, San Francisco, USA.
 44. B. Coco, F. Oliveri, P. Colombatto, P. Ciccorossi, R. Sacco, F. Bonino, M.R. Brunetto. Monitoring liver elasticity: a new tool to measure liver fibrosis during therapy. 56th Annual Meeting of the American Association for the Study of Liver Diseases. November 11 - 15, 2005, San Francisco, USA.
 43. A. Pares, L. Caballeria, E. Lazaro, A. Garcia-Criado, M. Navasa, R. Gilibert. Transient elastography: a new and useful non-invasive method for assessing liver damage progression in primary biliary cirrhosis. 56th Annual Meeting of the American Association for the Study of Liver Diseases. November 11 - 15, 2005, San Francisco, USA.
 42. A. Morente, M. Romero, P. Barreiro, P. Rivas, I. Maida, A. Moreno, F. Munoz, J. Gonzalez-Lahoz, J. Garcia-Samaniego, V. Soriano. Clinical manifestations of end-stage liver disease (ESLD) in patients with chronic viral hepatitis and advanced liver fibrosis assessed by elastography. 56th Annual Meeting of the American Association for the Study of Liver Diseases. November 11 - 15, 2005, San Francisco, USA.
 41. L. Castéra, A. Van Hecke, P. Trimoulet, N. Callewaert, P. Couzigou, V. de Ledinghen, R. Contreras, W. Laroy. Independent validation and comparison with Fibroscan, Fibrotest and liver biopsy of clinical glycomics for the non invasive assessment of liver fibrosis in chronic hepatitis C. 56th Annual Meeting of the American Association for the Study of Liver Diseases. November 11 - 15, 2005, San Francisco, USA.
 40. L. Castera, B. Le Bail, J. Foucher, J. Bertet, M. Darriet, P. Couzigou, V. de Ledinghen. Prospective analysis of discordance between Fibroscan and Fibrotest when used in combination as first-line assessment of liver fibrosis in chronic hepatitis C. 56th Annual Meeting of the American Association for the Study of Liver Diseases. November 11 - 15, 2005, San Francisco, USA.
 39. C. Corpechot, A. El Naggar, A. Poujol-Robert, M. Ziol, D. Wendum, O. Chazouilleres, V. de Ledinghen, D. Dhumeaux, P. Marcellin, M. Beaugrand, R. Poupon. Assessment of hepatic fibrosis by liver stiffness measurement in patients with chronic cholestatic diseases. 56th Annual Meeting of the American Association for the Study of Liver Diseases. November 11 - 15, 2005, San Francisco, USA.
 38. P. Marcellin V. de Ledinghen, D. Dhumeaux, R. Poupon, M. Ziol, P. Bedossa, M. Beaugrand. Non-

invasive assessment of liver fibrosis in chronic hepatitis B using FibroScan®. 56th Annual Meeting of the American Association for the Study of Liver Diseases. November 11 - 15, 2005, San Francisco, USA.

37. N. Ganne-Carrie, V. de Ledinghen, C. Douvin, P. Marcellin, L. Castera, M. Ziolo, M. Beaugrand. Accuracy of liver stiffness measurement (LSM) for the diagnosis of cirrhosis in patients with chronic liver diseases (CLD): a study in 1345 patients. 56th Annual Meeting of the American Association for the Study of Liver Diseases. November 11 - 15, 2005, San Francisco, USA.
36. J. Foucher, L. Castera, P.H. Bernard, X. Adhoute, D. Laharie, J. Bertet, P. Couzigou, V. de Ledinghen. Prevalence and factors associated with failure of liver stiffness measurement using FibroScan® in a prospective study of 2114 examinations. 56th Annual Meeting of the American Association for the Study of Liver Diseases. November 11 - 15, 2005, San Francisco, USA.
35. V. de Ledinghen, B. Le Bail, L. Rebouissoux, J. Foucher, L. Castera, M. Darriet, T. Lamireau. FibroScan® is a new non-invasive method for the diagnosis of liver fibrosis in children: A Prospective comparison with FibroSure®, and liver biopsy. 56th Annual Meeting of the American Association for the Study of Liver Diseases. November 11 - 15, 2005, San Francisco, USA.
34. V. de Ledinghen, C. Douvin, A. Kettaneh, M. Ziolo, D. Roulot, P. Marcellin, D. Dhumeaux, M. Beaugrand. Diagnosis of hepatic Fibrosis and cirrhosis by liver stiffness measurement in HIV-HCV co-infected patients: a prospective study. 56th Annual Meeting of the American Association for the Study of Liver Diseases. November 11 - 15, 2005, San Francisco, USA.
33. V. de Ledinghen, L. Castera, J. Foucher, P.-H. Bernard, R. Tournan, N. Le Provost, P. Couzigou. Repeated liver stiffness measurement using FibroScan® for the follow-up of untreated HCV patients and for the evaluation and monitoring of histological response in HCV responders: a prospective longitudinal study. 56th Annual Meeting of the American Association for the Study of Liver Diseases. November 11 - 15, 2005, San Francisco, USA.
32. P. Melin, A. Dacon, A. Gauchet, M. Shoeny, C. Fournier, L. Sandrin, D. Diebold. Cirrhosis screening in alcoholism consultation using FibroScan®. 56th Annual Meeting of the American Association for the Study of Liver Diseases. November 11 - 15, 2005, San Francisco, USA.
31. M. Ziolo, N. Barget, V. Bourcier, T. Garnier, M. Beaugrand. Amount and type of liver fibrosis detected by stiffness measurements. 56th Annual Meeting of the American Association for the Study of Liver Diseases. November 11 - 15, 2005, San Francisco, USA.
30. C. Barrault, F. Medkour, C. Atanasiu, C. Douvin, A. Mallat, S. Zafrani, C. Duvoux, J. Tran Van Nhieu. Non invasive assessment of liver graft fibrosis by transient elastography after liver transplantation. 56th Annual Meeting of the American Association for the Study of Liver Diseases. November 11 - 15, 2005, San Francisco, USA.
29. T. Takeda, T. Yasuda, M. Nakaya, Y. Nakayama, S. Seki, T. Tanaka, S. Shiomi, H. Asai. The usefulness of elastometry using Fibroscan 502 for assessment of liver fibrosis stage in chronic hepatitis C. 56th Annual Meeting of the American Association for the Study of Liver Diseases. November 11 - 15, 2005, San Francisco, USA.
28. A. Morente, P. Barreiro, P. Rivas, I. Maida, M. Romero, J. González-Lahoz, V. Soriano. Clinical manifestations of end-stage liver disease (ESLD) in patients with chronic viral hepatitis and advanced liver fibrosis assessed by elastography. 45th Interscience Conference on Antimicrobial Agents and Chemotherapy. September 21 – 24, 2005, New Orleans, LA, USA.
27. P. Barreiro, A. Morente, A. Rendon, S. R-Novoa, P. Rivas, I. Maida, J. Gonzalez-Lahoz, V. Soriano. Influence of liver fibrosis on plasma levels of non-nucleoside analogues and protease inhibitors in HIV+ patients. 45th Annual Interscience Conference on Antomicrobial Agent and Chemotherapy. September 21-24, 2005, New Orleans, LA, USA.
26. I. Maida, V. Soriano, J. Gonzalez-Lhaoz, M. Nunez. Liver fibrosis stage in HIV/HCV-coinfected patients with persistently normal transaminases levels. 45th Annual Interscience Conference on Antomicrobial Agent and Chemotherapy. September 21-24, 2005, New Orleans, LA, USA.
25. P. Melin, L. Gourarier, A. Dacon, A. Gauchet, M. Scheony, M.D. Diebold. Interest of the FibroScan® for the screening of cirrhosis in alcoholism consultation. 67th Annual Scientific Meeting of the College on Problems of Drug Dependence. June 18-23, 2005, Orlando, FL, USA.
24. L. Gourarier, P. Melin, J.P. Lang. Interest of the FibroScan® in a toxicology consultation: preliminary results. 67th Annual Scientific Meeting of the College on Problems of Drug Dependence. June 18-23, 2005, Orlando, FL, USA.
23. T. Lamireau, B. Le Bail, L. Rebouissoux, L. Castéra, J. Foucher, M. Darriet and V. de Ledinghen. FibroScan® is a new non-invasive method for the diagnosis of liver fibrosis in children: A Prospective comparison with Fibrotest® and liver biopsy. 38th Annual Meeting of the European Society for Paediatric Gastroenterology Hepatology and Nutrition. June 1-4, 2005, Porto, Portugal.
22. D. Laharie, X. Boue-Lahorgue, F. Zerbib, J. Foucher, L. Castera, X. Adhoute, F. Richey, M. Darriet,

- P. Couzigou, M. Amouretti, V. de Ledinghen. Diagnosis of liver fibrosis with non-invasive methods in IBD patients treated with Methotrexate. Digestive Disease Week 2005. May 14-19, 2005, Chicago, IL, USA.
21. F. Kazemi, E. Pinto, G. N'Koutchou, N. Ganne, J.C. Trinchet, M. Beaugrand. In patients with cirrhosis, liver stiffness measurement (LSM) predicts the presence and size of oesophageal varices (OV) more accurately than portal gradient (PG). 40th Annual Meeting of the European Association for the Study of Liver. April 13-17, 2005, Paris, France.
 20. P. Melin, A. Dacon, A. Gauchet, M. Schoeny, M. D. Diebold. Interest of the FibroScan® in the screening of cirrhosis in patients attending alcoholism consultation. 40th Annual Meeting of the European Association for the Study of Liver. April 13-17, 2005, Paris, France.
 19. J. Foucher, J. Vergniol, L. Castéra, B. Le Bail, E. Chanteloup, M. Darriet, J. Bertet, P. Couzigou, V. de Lédighen. Fibrosis evaluation in chronic liver diseases: comparison of FibroScan® with liver biopsy, Fibrotest®, Forns score, APRI, hyaluronan, prothrombin time, and AST/ALT ratio. 40th Annual Meeting of the European Association for the Study of Liver. April 13-17, 2005, Paris, France.
 18. B. Coco, F. Oliveri, P. Colombatto, P. Ciccorossi, R. Sacco, F. Bonino and M.R. Brunetto. Monitoring liver elasticity a new tool to measure liver fibrosis during therapy. 40th Annual Meeting of the European Association for the Study of Liver. April 13-17, 2005, Paris, France.
 17. V de Ledinghen, J. Foucher, L. Castéra. FibroScan® is a new non invasive method for the detection of cirrhosis and its complications in patients with chronic liver diseases. Results of a prospective study in 711 patients. 1st International Workshop on HIC and Hepatitis Co-infection. December 2-4, 2004, Amsterdam, Netherlands.
 16. M. Ziolo, A. Handra-Luca, A. Kettaneh, C. Christidis, F. Mal, F. Kazemi, V. de Ledinghen, P. Marcellin, D. Dhumeaux, J.C. Trinchet, M. Beaugrand. Non invasive assessment of liver fibrosis by liver stiffness measurement (LSM) in patients with chronic hepatitis C (CHC): the importance of sampling. 55th Annual Meeting of the American Association for the Study of Liver Diseases. October 29-November 2nd, 2004, Boston, United-States.
 15. F. Kazemi, E. Pinto, G. Nkontchou, N. Ganne Carrie, J.C. Trinchet, M. Beaugrand. Liver stiffness measurement is highly predictive of the presence of oesophageal varices grade II-III in patients with cirrhosis. 55th Annual Meeting of the American Association for the Study of Liver Diseases. October 29-November 2nd, 2004, Boston, United-States.
 14. P. Nahon, M. Ziolo, A. Handra-Luca, J.C. Trinchet, M. Beaugrand. Liver stiffness measurement (LSM) improves prediction of fibrosis stage by experienced physicians in patients with HCV chronic hepatitis. 55th Annual Meeting of the American Association for the Study of Liver Diseases. October 29-November 2nd, 2004, Boston, United-States.
 13. L. Castera, J. Vergniol, J. Foucher, B. Le Bail, E. Chanteloup, M. Haaser, N. Le Provost, P. Couzigou, V. de Ledinghen. Transient elastography (Fibroscan®) a novel, non-invasive sensitive method for the assessment of liver fibrosis in chronic hepatitis C. A prospective evaluation in comparison with liver biopsy, Fibrotest and APRI. 55th Annual Meeting of the American Association for the Study of Liver Diseases. October 29-November 2nd, 2004, Boston, United-States.
 12. E. Chanteloup, J. Foucher, L. Castera, J. Vergniol, M. Haaser, J. Bertet, P. Couzigou, V. de Ledinghen. Fibroscan® is a new non invasive method for the detection of cirrhosis and its complications in patients with chronic liver diseases. Results of a prospective study in 456 patients. 55th Annual Meeting of the American Association for the Study of Liver Diseases. October 29-November 2nd, 2004, Boston, United-States.
 11. C. Douvin, F. Roudot-Thoraval, J. Tran Van Nhieu, E.S. Zafrani, D. Dhumeaux. Independent prospective validation of the use of liver stiffness measurement to assess liver fibrosis in patients with chronic viral hepatitis. 55th Annual Meeting of the American Association for the Study of Liver Diseases. October 29-November 2nd, 2004, Boston, United-States.
 10. H. Saito, S. Tada, N. Nakamoto, H. Ishii, T. Hibi. Usefulness of hepatic elastometry for staging liver histology. 55th Annual Meeting of the American Association for the Study of Liver Diseases. October 29-November 2nd, 2004, Boston, United-States.
 9. M. Beaugrand. Liver stiffness measurement: a new tool to assess liver fibrosis. EASL Single Topic Conference on The role liver biopsy in the diagnosis and management of chronic liver disease. June 14-15, 2004, Torino, Italy.
 8. M. Ziolo, N. Barget, L. Sandrin, C. Fournier, A. Kettaneh, F. Mal, F. Kazemi, and M. Beaugrand. Correlation between liver elasticity measured by transient elastography and liver fibrosis assessed by morphometry in patients with HCV chronic hepatitis. 39th Annual Meeting of the European Association for the Study of Liver. April 14-18, 2004, Berlin, Germany.
 7. M. Beaugrand, M. Ziolo, L. Sandrin, C. Fournier, A. Biaggi-Frassati, B. Poulet, J.C. Trinchet, F. Mal, C. Christidis, F. Kazemi, V. Grando, N. Ganne and R. Palau. Liver elasticity by ultrasonic transient

- elastography: a new non-invasive method for assessment of liver fibrosis in chronic viral hepatitis. 54th Annual Meeting of the American Association for the Study of Liver Diseases. October 24-28, 2003, Boston, United-States.
6. M. Beaugrand, R. Palau, F. Mal, C. Christidis, M. Zioli, L. Sandrin, C. Fournier and B. Fourquet. Transient elastography a new non-invasive method for assessment of liver fibrosis: results in patients with HCV chronic hepatitis. 38th Annual Meeting of the European Association for the Study of Liver. July 3-6, 2003, Geneva, Switzerland.
 5. L. Sandrin, J.M. Hasquenoph, C. Fournier, B. Fourquet, S. Yon, M. Beaugrand and R. Palau. Evaluation of hepatic fibrosis in HCV patients using transient elastography. 28th International Symposium on Ultrasonic Imaging and Tissue Characterization. May 28-30, 2003, Arlington, VA, USA.
 4. M. Beaugrand. Elastometry: an alternative to liver biopsy for the evaluation of hepatic fibrosis in HCV patients. Highly Advanced Medical Technologies. Tokyo, February 14, 2003.
 3. R. Palau. The experience of a radiologist with the elastometer. An application of transient elastography. Highly Advanced Medical Technologies. Tokyo, February 14, 2003.
 2. R. Palau, L. Sandrin, J.M. Hasquenoph, S. Yon, C. Fournier and B. Fourquet. Noninvasive Tissue Elasticity Probe. Radiological Society of North America. 88th Scientific Assembly and Annual Meeting. December 1-6, 2002 – McCormick Place, Chicago, USA.
 1. C. Christidis, F. Mal, M. Beaugrand, N. Bouzar, C. Strauss, G. Seguin, S. Lenoir, L. Fontanelle, M. Zins, R. Palau, L. Sandrin, C. Fournier and B. Fourquet. Noninvasive Evaluation of the Hepatic Fibrosis Using Transient Elastography. Radiological Society of North America. 88th Scientific Assembly and Annual Meeting. December 1-6, 2002 – McCormick Place, Chicago, USA.

NATIONAL COMMUNICATIONS

27. M. Lemoine, S. Katsahian, P. Nahon, N. Ganne-Carrie, F. Kazemi, V. Grando, J.C. Trinchet, M. Beaugrand. La mesure de l'élasticité hépatique est corrélée au gradient de pression sus-hépatique chez les malades atteints de cirrhose éthylique et/ou virale C non compliquée [*Liver stiffness measurement is correlated to HVPG in patients with alcoholic and/or HCV cirrhosis without complications*]. 59^{èmes} Journées de l'Association Française pour l'Etude du Foie. October 4 – 7, 2006, Paris, France.
26. V. de Ledinghen, M. Beaugrand, T.B. Kelleher, J. Foucher, L. Castera, M. Zioli, N. Ganne, M. Lai, N.H. Afdhal. Diagnostic de la fibrose hépatique par FibroScan au cours de la stéato-hépatite métabolique (NASH) [*Diagnosis of liver fibrosis with FibroScan in the course of metabolic steato-hepatitis (NASH)*]. 59^{èmes} Journées de l'Association Française pour l'Etude du Foie. October 4 – 7, 2006, Paris, France.
25. A. Konate, V. Le Tallec, J. Le Bigot, G. Gorea, S. Reaud, J. Boursier, E. Quemener, Y. Gallois, I. Hubert, F. Oberti, S. Michalak, M.C. Rousselet, C. Aube, P. Cales. Association scores sanguins, echo-doppler et élastométrie impulsionnelle pour le diagnostic de fibrose hépatique [*Combination of blood markers, echo-Doppler and elastometry for the diagnosis of liver fibrosis*]. 59^{èmes} Journées de l'Association Française pour l'Etude du Foie. October 4 – 7, 2006, Paris, France.
24. H.S. Kim, J.K. Kim, Y.N. Park, S.M. Myung, M.S. Pang, H.W. Lee, S.H. Ahn, Y.H. Paik, K.S. Lee, C.Y. Chon, Y.M. Moon, K.H. Han. Non-invasive assessment of liver fibrosis by measurement of stiffness in patients with hepatitis B virus infection. 12th Meeting of the Korean Association for the Study of Liver, May 26-27, 2006, Jeju Island, South Korea.
23. B. Coco, F. Oliveri, P. Colombatto, P. Ciccorossi, R. Sacco, F. Bonino, M.R. Brunetto. [*Liver elastography, a technique to assess liver fibrosis: influence of biochemical activity*]. XI Congresso Nazionale delle Malattie Digestive. April 1st – 5, 2006, Napoli, Italy.
22. A. Kettaneh, P. Marcellin, C. Douvin, R. Poupon, M. Beaugrand, V. de Ledinghen. Quels facteurs influencent la performance du FibroScan® pour l'évaluation de la fibrose hépatique ? [*Which factors influence the FibroScan® accuracy for the assessment of liver fibrosis?*]. Journées francophones de pathologie digestive, 30^{ème} édition. March 18 – 22, 2006, Paris, France.
21. V. de Ledinghen, L. Castera, J. Foucher, P.H. Bernard, R. Tournan, X. Adhoute, N. Le Provost, P. Couzigou. Le FibroScan® permet d'apprécier la régression de la fibrose hépatique chez les malades infectés par le VHC répondeurs au traitement par interféron retard et ribavirine : étude prospective [*FibroScan® allows to evaluate liver fibrosis regression in HCV patients responding to peg-interferon and ribavirin treatment: a prospective study*]. Journées francophones de pathologie digestive, 30^{ème}

- édition. March 18 – 22, 2006, Paris, France.
20. J. Foucher, L. Castera, P.H. Bernard, X. Adhoute, D. Laharie, J. Bertet, P. Couzigou, V. de Ledinghen. Prévalence et facteurs associés à un échec de mesure de l'élasticité hépatique par FibroScan® : étude prospective de 2114 examens [*Prevalence and factors associated with failure of liver stiffness measurement using FibroScan®: a prospective study of 2114 examinations*]. Journées francophones de pathologie digestive, 30^{ème} édition. March 18 – 22, 2006, Paris, France.
 19. F. Tanne, R. El Saouda, C. Bessaguet, F. Cholet, E. Andlauer, A.H. Delalande, M. Robaszewicz, H. Gouerou, J.B. Noursbaum. Etude de la variabilité des mesures de l'élastométrie impulsionnelle dans le diagnostic de la fibrose hépatique. Journées francophones de pathologie digestive, 30^{ème} édition. March 18 – 22, 2006, Paris, France.
 18. N. Ganne-Carrie, V. de Ledinghen, C. Douvin, P. Marcellin, L. Castera, M. Ziol, M. Beaugrand. Performances de la mesure de l'élasticité hépatique (MEH) pour le diagnostic de cirrhose au cours des maladies chroniques du foie (MCF) : étude multicentrique chez 1345 malades [*Accuracy liver stiffness measurement (LSM) for the diagnosis of cirrhosis in chronic liver diseases (CLD): multi center study in 1345 patients*]. 57^{èmes} Journées de l'Association Française pour l'Etude du Foie. September 29 – 30, 2005, Bordeaux, France.
 17. C. Corpechot, A. El Naggar, A. Poujol-Robert, M. Ziol, D. Wendum, O. Chazouillères, V. de Ledinghen, D. Dhumeaux, P. Marcellin, M. Beaugrand, R. Poupon. Intérêt de l'élastographie impulsionnelle pour l'évaluation de la fibrose hépatique au cours des maladies cholestatiques chroniques [*Interest of transient elastography for the assessment of liver fibrosis in cholestatic chronic liver diseases*]. 57^{èmes} Journées de l'Association Française pour l'Etude du Foie. September 29 – 30, 2005, Bordeaux, France.
 16. P. Marcellin, V. de Ledinghen, D. Dhumeaux, R. Poupon, M. Ziol, P. Bedossa, M. Beaugrand. Evaluation non invasive de la fibrose chez les patients atteints d'hépatite B chronique avec le FibroScan® [*Non invasive assessment of liver fibrosis in patients with chronic hepatitis B using FibroScan®*]. 57^{èmes} Journées de l'Association Française pour l'Etude du Foie. September 29 – 30, 2005, Paris, France.
 15. L. Castera, B. Le Bail, J. Foucher, P.H. Bernard, J. Bertet, M. Darriet, P. Couzigou, V. de Ledinghen. Analyse prospective de la prévalence et des causes de discordances entre FibroScan et Fibrotest lors de leur utilisation combinée en première intention pour l'évaluation non invasive de la fibrose chez les malades atteints d'hépatite chronique C (HCC) [*Prospective analysis of the occurrence and causes of discrepancies between FibroScan and Fibrotest used in combination for first line fibrosis assessment in patients with chronic hepatitis C*]. 57^{èmes} Journées de l'Association Française pour l'Etude du Foie. September 29 – 30, 2005, Bordeaux, France.
 14. L. Castera, A. Van Hecke, P. Trimoulet, N. Callewaert, P. Couzigou, V. de Ledinghen, R. Contreras, W. Laroy. "Glycomique clinique" : validation indépendante et comparaison avec le FibroScan et le Fibrotest pour l'évaluation non invasive de la fibrose au cours de l'hépatite chronique C [*Clinical glycomic: independent validation and comparison with FibroScan and Fibrotest in the non invasive assessment of liver fibrosis in chronic hepatitis C*]. 57^{èmes} Journées de l'Association Française pour l'Etude du Foie. September 29 – 30, 2005, Bordeaux, France.
 13. V. de Ledinghen, C. Douvin, A. Kettaneh, M. Ziol, D. Roulot, P. Marcellin, D. Dhumeaux, M. Beaugrand. Diagnostic de la fibrose hépatique et de la cirrhose par mesure de l'élasticité hépatique chez les malades co-infectés VIH-VHC. Etude prospective multicentrique [*Liver fibrosis and cirrhosis diagnosis using liver stiffness measurement in HIV and HCV co-infected patients. Multi center prospective study*]. 57^{èmes} Journées de l'Association Française pour l'Etude du Foie. September 29 – 30, 2005, Bordeaux, France.
 12. T. Lamireau, B. Le Bail, L. Rebouissoux, J. Foucher, L. Castera, M. Darriet, V. de Ledinghen. Le FibroScan® permet le diagnostic non-invasif de la fibrose hépatique chez l'enfant : comparaison prospective avec le Fibrotest et la ponction biopsie hépatique [*FibroScan® allows non invasive diagnosis of liver fibrosis in children: prospective comparison with Fibrotest and liver biopsy*]. 57^{èmes} Journées de l'Association Française pour l'Etude du Foie. September 29 – 30, 2005, Bordeaux, France.
 11. F. Kazemi, E. Pinto, G. N'Koutchou, N. Ganne, J.C. Trinchet, M. Beaugrand. La mesure de l'élasticité du foie permet de prévoir la présence de varices oesophagiennes chez les malades atteints de cirrhose [*Liver stiffness measurements allow prediction of the presence of oesophageal varices in patients with cirrhosis*]. Journées francophones de pathologie digestive, 29^{ème} édition. April 2 – 6, 2005, Paris, France.
 10. P. Melin, A. Dacon, A. Gauchet, M. Schoeny, M.D. Diebold. Intérêt du FibroScan® dans le dépistage de la cirrhose chez les patients atteints de consultation d'alcoologie [*Interest of the FibroScan® in the screening of cirrhosis in patients attending alcoholism consultation*]. Journées francophones de pathologie digestive, 29^{ème} édition. April 2 – 6, 2005, Paris, France.

9. J. Foucher, J. Vergniol, L. Castera, B. Le Bail, E. Chanteloup, M. Darriet, N. Le Povost, P. Couzigou, V. de Lédinghen. Le FibroScan®, une nouvelle méthode non-invasive pour l'évaluation de la fibrose hépatique : résultats d'une étude prospective comparative avec la biopsie hépatique, le FibroTest, l'acide hyaluronique, la taux de prothrombine, le score APRI, le ratio ASAT/ALAT et le score de Forns [*FibroScan® a novel non invasive method for the assessment of liver fibrosis: results of a prospective study comparing with liver biopsy, FibroTest, hyaluronic acid, prothrombin time, APRI score, ASAT/ALAT ratio and Forns score*]. Journées francophones de pathologie digestive, 29^{ème} édition. April 2 – 6, 2005, Paris, France.
8. E. Chanteloup, J. Vergniol, L. Castéra, J. Foucher, J. Bertet, N. Darriet, P. Couzigou, V de Lédinghen. Quelle est la signification clinique du FibroScan® au cours de la cirrhose ? [*What is the clinical meaning of FibroScan during the course of cirrhosis?*]. Journées francophones de pathologie digestive, 29^{ème} édition. April 2 – 6, 2005, Paris, France.
7. T Lamireau, B Le Bail, L Rebouissoux, J Foucher, L Castéra, M Darriet, V de Lédinghen. Le FibroScan®, une nouvelle méthode non-invasive pour l'évaluation de la fibrose hépatique chez l'enfant : résultats d'une étude prospective comparative avec le FibroTest® et la biopsie hépatique. [*FibroScan®, a novel non invasive method for the assessment of liver fibrosis in children: results of a prospective study comparing with FibroTest® and liver biopsy*]. Journées francophones de pathologie digestive, 29^{ème} édition. April 2 – 6, 2005, Paris, France.
6. P. Nahon, M. Ziol, A. Handra-Luca, J.C. Trinchet, M. Beaugrand. La mesure de l'élasticité du foie (MEF) améliore la prédiction du score de fibrose par le clinicien expérimenté chez les malades ayant une hépatite chronique C [*Liver stiffness measurement (LSM) improves fibrosis stage prediction by experienced clinician in patients with chronic hepatitis C*]. 55^{èmes} Journées de l'Association Française pour l'Etude du Foie. September 29 – October 2nd, 2004, Paris, France.
5. J. Vergniol, E. Chanteloup, J. Foucher, L. Castéra, M. Haaser, J. Bertet, P. Couzigou, V. de Lédinghen. Le FibroScan® : une nouvelle méthode non invasive de diagnostic de la cirrhose et de ses complications au cours des maladies chroniques du foie. Résultats d'une étude prospective chez 456 malades [*FibroScan®: a new non invasive method to diagnose cirrhosis and its complications in chronic liver diseases – Results of a prospective study in 456 patients*]. 55^{èmes} Journées de l'Association Française pour l'Etude Du Foie. September 29 – October 2nd, 2004, Paris, France.
4. L. Castéra, J. Vergniol, J. Foucher, B. Le Bail, E. Chanteloup, M. Haaser, N. Le Provost, P. Couzigou, V. de Lédinghen. Le FibroScan®, une nouvelle méthode non-invasive pour l'évaluation de la fibrose hépatique dans l'hépatite chronique C : résultats d'une étude prospective comparative avec la biopsie hépatique, le FibroTest® et le score APRI [*FibroScan®, a new non invasive method for liver stiffness assessment in chronic hepatitis C : results of a prospective comparative study with liver biopsy, FibroTest® and APRI*]. 55^{èmes} Journées de l'Association Française pour l'Etude du Foie. September 29 – October 2nd, 2004, Paris, France.
3. M. Beaugrand, M. Ziol, L. Sandrin, C. Fournier, A. Biaggi-Frassati, B. Poulet, J-C. Trinchet, F. Mal, C. Christidis, F. Kazemi, N. Ganne, and R. Palau. Une nouvelle méthode non invasive de quantification de la fibrose hépatique : l'élastographie impulsionnelle – Résultats chez 220 malades atteints d'hépatite chronique virale [*A new noninvasive method to quantify liver fibrosis: transient elastography – Results in 220 patients with chronic viral hepatitis*]. Journées francophones de pathologie digestive, 28^{ème} édition. April 3 – 7, 2004, Paris, France.
2. C. Christidis. Intérêt de l'élastographie impulsionnelle en hépatologie [*Interest of transient elastography in hepatology*]. 22^{ème} congrès Brestois d'hépatogastro-entérologie. June 27-28, 2003, Landerneau, France.
1. C. Christidis, L. Sandrin, R. Palau, M. Ziol, B. Fourquet, F. Mal, P. Callard, M. Beaugrand, C. Fournier, B. Gayet. L'élasticité du foie est-elle un reflet de la fibrose hépatique ou peut-on évaluer la fibrose par une méthode non invasive ? Résultat d'une étude pilote par élastographie. [*Is liver elasticity a good reflect of liver fibrosis or is-it possible to evaluate liver fibrosis in a noninvasive manner? Results of a pilot study by elastography*]. Journées francophones de pathologie digestive, 27^{ème} édition. March 29 – April 2, 2003, Paris, France.

EchoSens, the EchoSens logo, FibroScan, the FibroScan logo are registered trademarks of EchoSens Company.

© 2007, EchoSens, Paris, 75013 www.echosens.com